

- , Dudgeon, M. Y., and McClure, H. I. (1959). Observations on the results of pregnancies in women resident in Belfast. II. Abortions, hydatidiform moles and ectopic pregnancies. *Ann. hum. Genet.*, **23**, 395.
- , Johnston, H. A., Stewart, M. I. P., and Golding, D. R. (1966). Congenital malformations: A report of a study of series of consecutive births in 24 centres. *Bull. Wld Hlth Org.*, **34**, Suppl.
- , and McClarin, R. H. (1957). Determination of the sex of human abortions by nuclear sexing the cells of the chorionic villi. *Nature (Lond.)*, **180**, 198.
- , and Warnock, H. A. (1959). Observations on the results of pregnancies in women resident in Belfast. I. Data relating to all pregnancies ending in 1957. *Ann. hum. Genet.*, **23**, 382.
- Strandskov, H. H., and Bisaccia, H. (1949). The sex ratio of human stillbirths at each month of uterogestation and at conception. *Amer. J. phys. Anthrop.*, **7**, 131.
- Sturtevant, A. H., and Dobzhansky, T. (1936). Geographical distribution and cytology of 'sex-ratio' in *Drosophila pseudoobscura* and related species. *Genetics*, **21**, 473.
- Szontagh, F. E., Jakobovits, A., and Mehes, C. (1961). Primary embryonal sex ratio in normal pregnancies determined by nuclear chromatin. *Nature (Lond.)*, **192**, 476.
- Tanaka, K. (1961a). Genetic effects of chronic ionizing radiation on man. *Proc. 2nd Int. Congr. hum. Genet.*, **2**, 1234.
- (1961b). Estimation of radiation induced mutation rates in man. *Jap. J. Genet.*, **36**, Suppl. 42.
- Timofeeff-Ressovsky, N. W. (1935). Auslösung von Vitalitätsmutationen durch Röntgenbestrahlung bei *Drosophila melanogaster*. *Nachr. Ges. Wiss. Gottingen Math. Physik. Kl. Biol.*, NF 1, 163.
- Trasler, D. G., and Metrakos, J. D. (1953). Sex ratio of offspring from irradiated male mice. *Genetics*, **38**, 697.
- Tschuprow, A. (1915). Zur Frag des sindkenden. Knabenüberschusses unter den ehelich Geborenen. *Bull. Inst. int. Statist.*, **20**, 378.
- Turpin, R., Lejeune, J., and Rethore, M. O. (1956). Étude de la descendance de sujets traités par radiothérapie pelvienne. *Acta genet. (Basel)*, **6**, 204.
- Twiesselmann, F., Defrise-Gussenoven, E., and Leguebe, A. (1962). Incidence on genetics of mechanisms of segregation and disjunction at meiosis in man. *Nature (Lond.)*, **196**, 1232.
- United Nations (1959). *Demographic Year Book*, 11th issue. New York.
- (1962). Report of the United Nations Scientific Committee on the Effects of Atomic Radiation, General Assembly, Official Records, 17th Session, Suppl. 16 (A/5216).
- (1966). Report of the United Nations Scientific Committee on the Effects of Atomic Radiation, General Assembly, Official Records, 21st Session, Suppl. 14 (A/6314).
- Warburton, D., and Fraser, F. C. (1964). Spontaneous abortion risks in man: data from reproductive histories collected in a medical genetics unit. *Amer. J. hum. Genet.*, **16**, 1.
- Waterhouse, J. A. H., and Hogben, L. (1947). Incompatibility of mother and foetus with respect to the iso-agglutinogen A and its antibody. *Brit. J. prev. soc. Med.*, **1**, 1.
- Weir, J. A. (1953). Association of blood-pH with sex ratio in mice. *J. Hered.*, **44**, 133.
- (1955). Male influence on sex ratio of offspring in high and low blood-pH lines of mice. *ibid.*, **46**, 277.
- (1962). Hereditary and environmental influences on the sex ratio of PHH and PHL mice. *Genetics*, **47**, 881.
- Wilson, K. M. (1926). Correlation of external genitalia and sex glands in the human embryo. *Contr. Embryol. Carneg. Instn.*, **18**, 23.
- World Health Organization (1966). Standardization of procedures for chromosome studies in abortion. Report of a Study Group. *Bull. Wld Hlth Org.*, **34**, 765.

Corrigenda

Agar Diffusion Test for Serum Cholinesterase Typing and Influence of Temperature on Dibucaine and Fluoride Numbers; by George Lee and J. C. Robinson. Vol. 4, No. 1 (March 1967).

The authors regret the following errors:

Page 21. The mean of Fluoride Numbers of 84 I individuals obtained by Harris and Whittaker (1961) in Table III should read 47.79 (not 44.79).

Page 24. First inhibition number in Table VI should read FN (not DN).