

Author index

- Aaltonen LA** see Kilpivaara O et al
 see Laiho P et al
 see Lehtonen R et al
Aaronson NK see Bleiker EMA et al
Abdalla SA see Harrison RE et al
Abdalla SA et al. Visceral manifestations in hereditary haemorrhagic telangiectasia type 2, 494
Abe S see Park H-J et al
Abid A see Hameed A et al
Abitbol M see Nandrot E et al
Aboura A et al. Deletion in the *ABL* gene resulting from a meiotic recombination of a maternal (3;22;9)(q22;q12;q34.1) translocation, e6
Adams D see Planté-Bordeneuve V et al
Adan A see Bernal S et al
Adámková V see Vrablik M et al
Adolph S see Barbi G et al
Ahamed K see Sébillon P et al
Ainsworth PJ see Ozcelik H et al
Aizenberg H see Barlow-Stewart K et al
Ajiro J see Song J et al
Ajlouni KM see Jbour A-K et al
Akasu T see Sumitsuji I et al
Akhayat O see Melki R et al
Akker WV anden see de Bernabé DBeltrán-Valero et al
Akrami SM et al. Diagnosis of gene dosage alterations at the *PMP22* gene using MAPH, e123
Ala-Kokko L see Jakkula E et al
Alasti F see Naz S et al
Alayan O see Martinez-Mir A et al
Albrecht B see Nietzel A et al
Alders M see van Langen IM et al
Al-Din A see Mubaidin A et al
Alembik Y see Wilcken B et al
Algar E see Diaz-Meyer N et al
Al-Gazali L see Chandler KE et al
Al-Gazali LI see Brickwood S et al
 see Faivre L et al
Ali AB see Sng J-H et al
Ali M see Crow YJ et al
Alitalo T see Jalkanen R et al
Alkelai A see Basel-Vanagaite L et al
Allen MH see Capon F et al
Alonso C see de La Hoya M et al
Alonso R see Cenarro A et al
Altshuler D see Paracchini S et al
Álvarez A et al. Uniparental disomy of chromosome 13q causing homozygosity for the 35delG mutation in the gene encoding connexin26 (*GJB2*) results in prelingual hearing impairment in two unrelated Spanish patients, 636
Amaral MD see Ramalho AS et al
Amendola A see Giordano N et al
Amiel J see Rio M et al
Amir E et al. Evaluation of breast cancer risk assessment packages in the family history evaluation and screening programme, 807
Amirimani B see Martin A-M et al
Amoroso A see Boniotto M et al
Amouyel P see Lambert J-C et al
Anand A see Ramshankar M et al
Andelfinger G et al. Canine tricuspid valve malformation, a model of human Ebstein anomaly, maps to dog chromosome 9, 320
Andermann E see Chan EM et al
Andermann F see Chan EM et al
Anderson CE see Zweier C et al
Andres C see Gendrot C et al
Andreu AL see Solano A et al
Andreux F see Richard P et al
Andria G see Wilcken B et al
Andriuškevičiūtė I see Baumstark A et al
Andriulli A see Annese V et al
Andrusis IL see Ozcelik H et al
Angelini C see Boito C et al
Angspatt A see Shotelersuk V et al
Annerén G see Dianzani I et al
Annese V et al. Linkage of ulcerative colitis to the pericentromeric region of chromosome 16 in Italian inflammatory bowel disease families is independent of the presence of common *CARD15* mutations, 837
António G see Bernal S et al
 see Borrego S et al
Antuzzi D see Morrone A et al
Anzellotti MT see Stuppia L et al
Arab S see Willoughby CE et al
Arbogast L see Nandrot E et al
Ardizzone S see Annese V et al
Ardjo SM see Sitorus R et al
Arellano B see del Castillo FJ et al
Aren G see Hart TC et al
Ariani F see Longo I et al
Armour JAL see Akrami SM et al
Ars E et al. Recurrent mutations in the *NF1* gene are common among neurofibromatosis type 1 patients, e82
Artieda M see Cenarro A et al
Ashley-Koch A see Yip AG et al
Aster JC see Robertson NG et al
Athanasiadis G see Martin A-M et al
Au K-S see Kirkpatrick TJ et al
Auer DP see Horváth R et al
Aung T et al. Prevalence of optineurin sequence variants in adult primary open angle glaucoma: implications for diagnostic testing, e101
Ausems MGEM see Faivre L et al
Avraham KB see Ness Sethi L et al
 see Ramshankar M et al
Aylsworth AS see de Mollerat XJ et al
Ayuso C see Bernal S et al
Aziz A see Hameed A et al
Bacchelli C see Morgan NV et al
Bachy A see Burglen L et al
Backe J see Kohlhase J et al
Bacq D see Faivre L et al
Bacq Y see Gendrot C et al
Bahl A see Mogensen J et al
Bai R-K see Wong LJC et al
Baiget M see Bernal S et al
 see de La Hoya M et al
Bakkaloglu A see Borthwick KJ et al
Baldi A see Iannaccone A et al
Baldi C see Giordano N et al
Baldi F see Iannaccone A et al
Ballhausen D et al. Recessive multiple epiphyseal dysplasia (rMED): phenotype delineation in eighteen homozygotes for *DTDST* mutation R279W, 65
Bamforth F see Wilcken B et al
Bamiou DE see Zito I et al
Baralle D see Baralle M et al
Baralle FE see Baralle M et al
Baralle M et al. Identification of a mutation that perturbs *NF1* gene splicing using genomic DNA samples and a minigene assay, 220
Barbet F see Perrault I et al
Barbi G et al. Analphoid de novo marker chromosome inv dup(3)(q28qter) with neocentromere in a dysmorphic and developmentally retarded girl, e27
Bardelli T see Morrone A et al
Barker JNWN see Capon F et al
Barker S see Eccles DM et al
Barlati S see Coucke PJ et al
Bar-Lev A see Ness S et al
Barlow-Stewart K et al. A genetic screening programme for Tay-Sachs disease and cystic fibrosis for Australian Jewish high school students, e45

- Barois A** see Richard P et al
Barone R see Morrone A et al
Barratt A see Lobb EA et al
Barratt CL see Maher ER et al
Barrett IJ see Yong PJ et al
Bartels I see Meins M et al
Barth PG see Merks JHM et al
Bartmus D see Meins M et al
Basak A see Nandrot E et al
Basel-Vanagaite L et al. Mapping of a new locus for autosomal recessive non-syndromic mental retardation in the chromosomal region 19p13.12-p13.2: further genetic heterogeneity, **729**
Baser ME see Castle B et al
 see Moyhuddin A et al
 see Warren C et al
Baser ME et al. Genotype-phenotype correlations for cataracts in neurofibromatosis 2, **758**
Bason L see Kamath BM et al
Battiloro E see Pascale E et al
Bauché S see Richard P et al
Baumann-Müller A see Kohlhase J et al
Baumstarck A et al. Novel PHF6 mutation p.D333del causes Börjeson-Forssman-Lehmann syndrome, **e50**
Bauters C et al. Hereditary phaeochromocytomas and paragangliomas: a study of five susceptibility genes, **e75**
Bech-Hansen T see Jalkanen R et al
Beck S see Ramalho AS et al
Becker K see Kohlhase J et al
Becker K, Yates R Microcephaly-cardiomyopathy syndrome: expansion of the phenotype, **e78**
Beechey C see Bentley L et al
Beemer F see Zweier C et al
Beemer FA see Mortier GR et al
Beesley CE et al. Sanfilippo syndrome type D: identification of the first mutation in the N-acetylglucosamine-6-sulphatase gene, **192**
Beldjord C see Bienvenu T et al
Bell R see Evans AL et al
Bellato S see Wilcken B et al
Bellini G see del Giudice EM et al
Bellus G see Ballhausen D et al
Belmouden A see Melki R et al
Bembea M see Kohlhase J et al
Benäische A see Sébillon P et al
Benazzouz B see Nandrot E et al
Bender BU see Neumann HPH et al
Benedetti S see Vytopil M et al
Benedetto ADi see Brancati F et al
Benítez J see Cebrían A et al
Bénit P see Chol M et al
 see Lebon S et al
Benson DW see Andelfinger G et al
Bentley L et al. The imprinted region on human chromosome 7q32 extends to the carboxypeptidase A gene cluster: an imprinted candidate for Silver-Russell syndrome, **249**
Ben-Yosef T see Ness SL et al
Ben-Zeef B et al. Progressive cerebellocerebral atrophy: a new syndrome with microcephaly, mental retardation, and spastic quadriplegia, **e96**
Bénit P see Chol M et al
Barbari N see Lemon WJ et al
Berg J et al. Hereditary haemorrhagic telangiectasia: a questionnaire based study to delineate the different phenotypes caused by endoglin and ALK1 mutations, **585**
Bergoffen J see Herasse M et al
Berkman J see Ruf RG et al
Bermejo E see Wilcken B et al
Bernal S et al. Mutations in USH2A in Spanish patients with autosomal recessive retinitis pigmentosa: high prevalence and phenotypic variation, **e8**
 Study of the involvement of the RGR, CRPB1, and CRB1 genes in the pathogenesis of autosomal recessive retinitis pigmentosa, **e89**
Bernard R see de Sandre-Giovannoli A et al
Berraho A see Nandrot E et al
Berthelot J see Jacquet H et al
Bertrand J-P see Nadif R et al
Besch D see Fausser S et al
Beusekom Evan see Bernabé DBeltrán-Valero et al
Bewley S see Offiah AC et al
Bhattacharya SS see Aung T et al
 see Zito I et al
Bianca S see Wilcken B et al
Bidot LD see Sébillon P et al
Bienvenu T et al. Rare polymorphic variants of the AGTR2 gene in boys with non-specific mental retardation, **357**
Billingsley G see Willoughby CE et al
Binder B see Petek E et al
Bird AC see Zito I et al
Birjandi Z see Bentley L et al
Birnie E see van Langen IM et al
Bitoun P see Fairvre L et al
Bittel DC et al. Microarray analysis of gene/transcript expression in Prader-Willi syndrome: deletion versus UPD, **568**
Black DN see Crow YJ et al
Black GC see Kerr B et al
Black GCM see Chandler KE et al
Blake V see Sng J-H et al
Bleiker EMA et al. Experience of discharge from colonoscopy of mutation negative HNPCC family members, **e55**
Boccaccio I see de Sandre-Giovannoli A et al
Bock A see Neumann HPH et al
Boer Ide see Kuipers TW et al
Boggis C see Amir E et al
Bohnert-Iwan B see Neumann HPH et al
Boileau C see Faivre L et al
Boisson C see Parc Y et al
Boito C et al. Novel sarcoglycan gene mutations in a large cohort of Italian patients, **e67**
Bokhoven Hvan see de Bernabé DBeltrán-Valero et al
Boltshauser E see Jakkula E et al
Bompuzzi R et al. New approaches to investigating heterogeneity in complex traits, **553**
Bonafe L see Jakkula E et al
Bonafé L see Ballhausen D et al
Bonafé M see Lio D et al
Bonaglia MC see Gagliardi C et al
Bonaglia MC et al. Distal trisomy 6p and 20q owing to the concurrent transposition of distal 6p and 20q to the 22q telomere: a genomic polymorphism?, **e94**
Bonaiti-Pellie C see Planté-Bordeneuve V et al
Bonapace G et al. A novel mutation in a patient with insulin-like growth factor 1 (IGF1) deficiency, **913**
Bond J see Crow YJ et al
Bondy B see Laumbacher B et al
Boniotto M et al. Promoter polymorphisms of the CD14 gene in Italian patients with coeliac disease, **e108**
Bonne G see Sébillon P et al
Bonneau D see Abdalla SA et al
 see Jacquet H et al
Bonnemains C see Jacquet H et al
Bonner AE et al. Gene expression signatures identify novel regulatory pathways during murine lung development: implications for lung tumorigenesis, **408**
Bonsel GJ see van Maarle MC et al
Bonthron DT see Brickwood S et al
Boonstra FN see Yzer S et al
Borgatti R see Bonaglia MC et al
 see Gagliardi C et al
Borghgraef M see Longo I et al
Borgiani P see Mango R et al
Boriani G see Vytopil M et al
Borrego S see Bernal S et al
Borrego S et al. Investigation of germline GFRA4 mutations and evaluation of the involvement of GFRA1, GFRA2, GFRA3, and GFRA4 sequence variants in Hirschsprung disease, **e18**
Borthwick KJ et al. A phenocopy of CAll deficiency: a novel genetic explanation for inherited infantile osteopetrosis with distal renal tubular acidosis, **115**
Bottani A see Luciani JJ et al
Botto LD see Wilcken B et al
Bouchier C see Sébillon P et al

- Bounpheng M** et al. Rapid, inexpensive scanning for all possible *BRCA1* and *BRCA2* gene sequence variants in a single assay: implications for genetic testing, e33
- Bourguignon J-P** see Burglen L et al
- Bourrouillou G** see Luciani JJ et al
- Boutayeb S** see Nandrot E et al
- Bove B** see Prowse AH et al
- Bovie C** et al. Neurofibromatosis 2 in a patient with a *de novo* balanced reciprocal translocation 46,X,t(X;22)(p11.2;q11.2), 682
- Bowdin SC** see Maher ER et al
- Boyd NF** see Ozcelik H et al
- Bradman N** see Quintana-Murci L et al
- Braida L** see Boniotto M et al
- Brancati F** et al. Autosomal dominant hereditary benign telangiectasia maps to the *CMC1* locus for capillary malformation on chromosome 5q14, 849
- Brand N** see Ben-Ze'ev B et al
- Brauner R** see Rio M et al
- Brézin A** see Melki R et al
- Brechot M-C** see Gendrot C et al
- Bresson JL** see de Leersnyder H et al
- Breuer DK** see Iannaccone A et al
- Breuning MH** see White SJ et al
- Brewer CC** see Ness SL et al
- Brice G** see Aung T et al
see Evans AL et al
- Brickwood S** et al. Wolcott-Rallison syndrome: pathogenic insights into neonatal diabetes from new mutation and expression studies of EIF2AK3, 685
- Brisset S** see Aboura A et al
- Brock W** see Drovldic CM et al
- Brown CA** see Shen JJ et al
- Brueton LA** see Maher ER et al
- Bruni E** see Zannoli R et al
- Brunner HG** see de Bernabé DBeltrán-Valero et al
see Yzer S et al
- Bruno DL** see Slater HR et al
- Bruttni M** see Giordano N et al
- Bulman DE** see Chan EM et al
see Kirkpatrick TJ et al
- Bulman M** see Evans DGR et al
- Burbridge JI** see Cox JJ et al
- Burden D** see Capon F et al
- Burfeind P** see Meins M et al
- Burford DC** see Fiegler H et al
- Burglen L** et al. Myhre syndrome: new reports, review, and differential diagnosis, 546
- Burke D** see Beesley CE et al
- Burlina AB** see Zannoli R et al
- Burn J** see Chinnery PF et al
- Burnett L** see Barlow-Stewart K et al
- Butler MG** see Bittel DC et al
- Butow PN** see Lobb EA et al
- Byrski T** see Gronwald J et al
- Cairns P** see Prowse AH et al
- Calabrese G** see Stuppia L et al
- Calaf M** see Bernal S et al
- Caldés T** see de La Hoya M et al
- Callens T** see Messiaen L et al
- Calvani M** see Pascale E et al
- Calzolari E** see Gualandi F et al
- Calzone K** see Martin A-M et al
- Camargo AA** see Rocha JCC et al
- Campbell H** see Rudan I et al
- Campion D** see Jacquet H et al
- Candore G** see Lio D et al
- Canessa R** see Fan C et al
- Capoccia S** see Giordano N et al
- Capon F** et al. Haplotype analysis of distantly related populations implicates corneodesmosin in psoriasis susceptibility, 447
- Capone A** see Jakkula E et al
- Caputo V** see Brancati F et al
- Carando A** see Dianzani I et al
- Carayol J** see Planté-Bordeneuve V et al
- Cardoso C** see Philip N et al
- Carel J-C** see Burglen L et al
- Carette MJ** see Karmiloff-Smith A et al
- Carney JA** see Matyakhina L et al
- Carod FJ** see Solano A et al
- Carothers A** see Rudan I et al
- Carr P** see Fiegler H et al
- Carrara F** see Man PYW et al
see Puoti G et al
- Carson N** see Ozcelik H et al
- Carter NP** see Fiegler H et al
- Carter RF** see Ozcelik H et al
- Caruso C** see Lio D et al
- Casas K** see Cormier-Daire V et al
- Cascón A** see Cebríán A et al
- Casteels I** see Morgan NV et al
- Castermans D** et al. The neurobeachin gene is disrupted by a translocation in a patient with idiopathic autism, 352
- Castilla EE** see Jezewski PA et al
- Castillo S** see Cenarro A et al
- Castle B** et al. Evaluation of genotype-phenotype correlations in neurofibromatosis type 1, e109
- Cavallini A** see Bonaglia MC et al
- Cavallone L** see Lio D et al
- Cavender AC** see Frazier-Bowers SA et al
- Cavicchi C** see Morrone A et al
- Cebríán A** et al. Mutational and gross deletion study of the *MEN1* gene and correlation with clinical features in Spanish patients, e72
- Ceccherini I** see Sancandi M et al
- Cenarro A** et al. A common variant in the *ABCA1* gene is associated with a lower risk for premature coronary heart disease in familial hypercholesterolaemia, 163
- Češka R** see Vrablik M et al
- C-H Lui V** see Garcia-Barceló M-M et al
- Chabrol B** see Philip N et al
- Chae D-W** see Yoon H-J et al
- Chak A** see Drovldic CM et al
- Chakraborty R** see Rudan I et al
- Chambers J** see Müllenbach R et al
- Chan EM** et al. Genetic mapping of a new Lafora progressive myoclonus epilepsy locus (EPMLB) on 6p22, 671
- Chandler KE** et al. Diagnostic criteria, clinical characteristics, and natural history of Cohen syndrome, 233
- Chantereau D** see Cusin V et al
- Chaouch M** see de Sandre-Giovannoli A et al
- Chardenoux S** see Moreno-Pelayo MA et al
- Charniot J-C** see Sébillon P et al
- Charron P** see Sébillon P et al
- Chartier-Harlin M-C** see Lambert J-C et al
- Cheadle JP** see Gill H et al
- Cheetham ME** see Zito I et al
- Chelly J** see Bienvenu T et al
- Chen H** et al. RNASEL mutations in hereditary prostate cancer, e21
- Chen J** see Howell VM et al
see Kahnosi K et al
- Chen S** see Fan C et al
- Cherif-Chefchaoui M** see Nandrot E et al
- Chessler L** see Drovldic CM et al
- Chiarelli F** see Stuppia L et al
- Child AH** see Aung T et al
see Evans AL et al
- Chinnery PF** see Man PYW et al
see Taylor RW et al
- Chinnery PF** et al. Neuroferritinopathy in a French family with late onset dominant dystonia, e69
- Chiurazzi P** see Pascale E et al
- Chiveri L** see Vytopil M et al
- Chol M** see Lebon S et al
- Chol M** et al. The mitochondrial DNA G13513A MELAS mutation in the NADH dehydrogenase 5 gene is a frequent cause of Leigh-like syndrome with isolated complex I deficiency, 188
- Choo KHA** see Slater HR et al
- Chretien D** see Chol M et al
see Lebon S et al
- Christensen K** see Jezewski PA et al
- Christiano AM** see Martinez-Mir A et al
- Christodoulou J** see Gill H et al
see Leonard H et al

- Churchyard A** see Delatycki MB et al
Ciommo VDi see Sarkozy A et al
Civeira F see Cenarro A et al
Clarke A see Gill H et al
 see Leonard H et al
Clarkson KB see de Mollerat XJ et al
Classen E see Hofmann W et al
Classen M see Ballhausen D et al
Claussen U see Nietzel A et al
Clayton P see Kerr B et al
Clayton PT see Offiah AC et al
Clayton-Smith J see Chandler KE et al
Clayton-Smith J, Laan L Angelman syndrome: a review of the clinical and genetic aspects, 87
Clech L see Rio M et al
Clegg S see Fiegler H et al
Clementi F see Mango R et al
Clerget-Darpoux F see Planté-Bordeneuve V et al
Clermont O see Cusin V et al
Coca-Prados M see Liao S-Y et al
Cohen M see Kraus J et al
Cohn DH see Ballhausen D et al
Cohn E see Varga R et al
Colby RS see de Mollerat XJ et al
Cole TR see Maher ER et al
Cole WG see Ballhausen D et al
 see Ridanpää et al
Colleaux L see Cormier-Daire V et al
 see Rio M et al
Colligon TA see Martin A-M et al
Collod-Beroud G see Faivre L et al
Colombi M see Coucke PJ et al
Colonna-Romano G see Lio D et al
Colosimo A see Flex E et al
Colvin L see Leonard H et al
Comeglio P see Evans AL et al
Concolino D see Bonapace G et al
 see Stuppia L et al
Conneally PM see Lambert J-C et al
Conti E see Sarkozy A et al
Contino G see Mango R et al
Conway T see Liu Y-Z et al
Cooney KA see Chen H et al
Cooper DN see Castle B et al
Cooper W see Diaz-Meyer N et al
 see Maher ER et al
Coppola G see del Giudice EM et al
Command B see de Bernabé DBeltrán-Valero et al
Cormier-Daire V see Burglen L et al
 see Chol M et al
 see Faivre L et al
 see Rio M et al
Cormier-Daire V et al. Clinical, radiological, and chondro-osseous findings in opismodysplasia: survey of a series of 12 unreported cases, 195
 Cryptic terminal deletion of chromosome 9q34: a novel cause of syndromic obesity in childhood?, 300
Coronel SA see Watson P et al
Cosgrove D see Iannaccone A et al
Costa SMR see Leal GF et al
Cote MA see Liao S-Y et al
Cottel D see Lambert J-C et al
Cotter PD see Dietz LG et al
Cottone M see Annese V et al
Coucke Paul see Coucke PJ et al
Coucke PJ et al. Homozygosity mapping of a gene for arterial tortuosity syndrome to chromosome 20q13, 747
Coulthard A see Chinnery PF et al
Coveler KJ et al. Comprehensive microsatellite marker analysis contradicts previous report of segmental maternal heterodisomy of chromosome 14, e26
Cox DW see Kammasaran D et al
Cox JJ et al. Identification of a 650 kb duplication at the X chromosome breakpoint in a patient with 46,X,t(X;8)(q28;q12) and non-syndromic mental retardation, 169
Cox P see Morgan NV et al
Cranston T see Gill H et al
Cremers CWRJ see van Wijk E et al
Cremers FPM see van Wijk E et al
 see Yzer S et al
Crivello A see Lio D et al
Crolla JA see Fiegler H et al
 see Maggouta F et al
Crompton D see Chinnery PF et al
Croquette M-F see Luciani JJ et al
Cross G see Sng J-H et al
Crovella S see Boniotto M et al
Crow YJ et al. Creer encephalitis is allelic with Aicardi-Goutières syndrome: implications for the pathogenesis of disorders of interferon alpha metabolism, 183
Culic V see Kamimura J et al
Cumming S-A et al. The effect of sequence variations within the coding region of the C1 inhibitor gene on disease expression and protein function in families with hereditary angio-oedema, e114
Cunningham JM see Lehtonen R et al
Curfs LMG see Verhoeven WMA et al
Currier S see de Bernabé DBeltrán-Valero et al
Curtis A see Chinnery PF et al
Curtis ARJ see Chinnery PF et al
Cusin V et al. Prevalence of *SMN1* deletion and duplication in carrier and normal populations: implication for genetic counselling, e39
Cybulla M see Neumann HPH et al
Czeizel AE see Wilcken B et al
Daack-Hirsch S see Jezewski PA et al
Dabaauvalle M-Ch see Todorova A et al
Daðly E see Ninis VN et al
Dagan O see Ramshankar M et al
Dagoneau N see Faivre L et al
Dahl H-H see de Silva MG et al
Dahl H-HM see Efron D et al
Dahl N see Dianzani I et al
Dai P, Wong L-JC Somatic instability of the DNA sequences encoding the polymorphic polyglutamine tract of the *AIB1* gene, 885
Dai Z see Smiraglia DJ et al
Dallapiccola B see Annese V et al
 see Brancati F et al
 see Ferlini A et al
 see Flex E et al
 see Sarkozy A et al
Daly M see Prowse AH et al
D'Ambrósio E see Pascale E et al
Dangel J see Prowse AH et al
Danks A see Delatycki MB et al
Davalos NO see Martinez-Mir A et al
Davies KM see Liu Y-Z et al
Davis M see Gill H et al
 see Leonard H et al
Day CD see Diaz-Meyer N et al
de Bernabé DBeltrán-Valero et al. A homozygous nonsense mutation in the *Fukutin* gene causes a Walker-Warburg syndrome phenotype, 845
de Blois M-C see Cormier-Daire V et al
 see de Leersnyder H et al
de Bock GH see Jacobi CE et al
 see Jonker MA et al
de Bruyn E see Willemse R et al
De Caro M see Puoti G et al
de Conti L see Baralle M et al
de Klerk N see Leonard H et al
de La Hoya M et al. Pre-test prediction models of *BRCA1* or *BRCA2* mutation in breast/ovarian families attending familial cancer clinics, 503
De Leenheer EMR see van Wijk E et al
de Leersnyder H et al. β_1 -adrenergic antagonists and melatonin reset the clock and restore sleep in a circadian disorder, Smith-Magenis syndrome, 74
de Lonlay P see Chol M et al
 see Lebon S et al
de Mollerat XJ et al. *P63* mutations are not a major cause of non-syndromic split hand/foot malformation, 55
De Paepe A see Coucke PJ et al

- de Sandre-Giovannoli A** et al. Phenotypic and genetic exploration of severe demyelinating and secondary axonal neuropathies resulting from *GDAP1* nonsense and splicing mutations, **e87**
- de Santi MM** see Zanolli R et al
- de Silva M** see de Silva MG et al
- de Silva MG** see Efron D et al
- de Silva MG** et al. Disruption of a novel member of a sodium/hydrogen exchanger family and *DOCK3* is associated with an attention deficit hyperactivity disorder-like phenotype, **733**
- de Vries BBA** et al. FMRP expression studies in blood and hair roots in a fragile X family with methylation mosaics, **535**
Telomeres: a diagnosis at the end of the chromosomes, **385**
- de Vries LS** see Merks JHM et al
- de Walle H** see Wilcken B et al
- de Wijs IJ** see Koppens PFJ et al
- Dearlove AM** see Ragge NK et al
- Dee S** see Cox JJ et al
- Degenhart HJ** see Koppens PFJ et al
- Dehyyat M** see Mubaidin A et al
- Deka R** see Rudan I et al
- Dekosky ST** see Lambert J-C et al
- del Castillo FJ** et al. Heteroplasm for the 1555A>G mutation in the mitochondrial 12S rRNA gene in six Spanish families with non-syndromic hearing loss, **632**
- del Castillo I** see Moreno-Pelayo MA et al
see **del Castillo FJ** et al
see Álvarez A et al
- del Rio E** see Bernal S et al
- Delague V** see de Sandre-Giovannoli A et al
- Delatycki M** see de Silva MG et al
- Delatycki MB** see Efron D et al
- Delatycki MB** et al. De novo germline *PTEN* mutation in a man with Lhermitte-Duclos disease which arose on the paternal chromosome and was transmitted to his child with polydactyly and Wormian bones, **e92**
- Delbridge LW** see Howell VM et al
- Delezoide AL** see Cormier-Daire V et al
- Delgado-Escueta AV** see Chan EM et al
- Delhotal-Landes B** see de Leersnyder H et al
- Dello Russo A** see Vytopil M et al
- Delobel B** see Luciani JJ et al
- Demirci FY** see Jalkanen R et al
- den Dunnen JT** see White SJ et al
- Deng H** see Liu Y-Z et al
- Deng H-W** see Liu Y-Z et al
see Long J-R et al
- Dennis NR** see Fiegler H et al
see Maggouta F et al
- Depetris D** see Luciani JJ et al
- Der Kaloustian VM** see Diaz-Meyer N et al
- Desai P** see Lambert J-C et al
- Desnick RJ** see Ness SL et al
- Desrumaux G** see Sébillon P et al
- Destrée A** see Kohlhase J et al
- Devoto M** see Annesse V et al
see Sancandi M et al
- Devriendt K** see Castermans D et al
see Vogels A et al
- Dezube R** see Kluwe L et al
- Díaz-Rubio E** see de La Hoya M et al
- di Rocco M** see Mancini GMS et al
see Morrone A et al
- Dianzani I** et al. Rapp-Hodgkin and AEC syndromes due to a new frameshift mutation in the *TP63* gene, **e133**
- Diaz-Meyer N** et al. Silencing of *CDKN1C* (*p57kip2*) is associated with hypomethylation at KvDMR1 in Beckwith-Wiedemann syndrome, **797**
- Dietz LG** et al. Exclusion of maternal uniparental disomy of chromosome 14 in patients referred for Prader-Willi syndrome using a multiplex methylation polymerase chain reaction assay, **e46**
- Dieux-Coëslier A** see Burglen L et al
- Díez JJ** see Cebrián A et al
- Díez O** see de La Hoya M et al
- Digilio MC** see Sarkozy A et al
- Do BH** see Horváth R et al
- Dobyns WB** see de Bernabé D Beltrán-Valero et al
- see Leeflang EP et al
see Philip N et al
- Domschke W** see Weiss FU et al
- Donnai D** see Karmiloff-Smith A et al
- Dott B** see Wilcken B et al
- Douglas FS** see Lampe AK et al
- Downes SM** see Zito I et al
- Dralle H** see Howell VM et al
- Drouin-Garraud V** see Sébillon P et al
- Drozdlic CM** et al. Demographic and phenotypic features of 70 families segregating Barrett's oesophagus and oesophageal adenocarcinoma, **651**
- D'Souza RN** see Frazier-Bowers SA et al
- Dufier JL** see Perrault I et al
- Duhagon MA** see Fan C et al
- Duhagon PI** see Fan C et al
- Duncan J** see Turnpenny PD et al
- Dunwoodie S** see Turnpenny PD et al
- Duray PH** see Giusti RM et al
- Dürr A** see Yip AG et al
- Dvornyk V** see Liu Y-Z et al
- Dziema H** see Borrego S et al
- Ebenezer ND** see Aung T et al
see Zito I et al
- Ebihara S** see Yamaya M et al
- Eccles DM** et al. Neuronal migration defect in a *BRCA1* gene carrier: possible focal nullisomy?, **e24**
- Eden T** see Kerr B et al
- Eden TOB** see Kerr B et al
- Edery P** see Rio M et al
- Efron D** see de Silva MG et al
- Efron D** et al. A novel pericentric inversion of chromosome 3 cosegregates with a developmental-behavioural phenotype, **e15**
- Egger H** see Petek E et al
- Eggermann T** see Meyer E et al
- Eich G** see Jakkula E et al
- Einaudi MA** see Kerr B et al
- Elanko N** see Mogensen J et al
- Elias E** see Müllenbach R et al
- Elion J** see Cusin V et al
- Ellard S** see Turnpenny PD et al
- Elles R** see Kerr B et al
- Elliott CG** see Harrison RE et al
- Elliott K** see de Silva MG et al
- Ellis D** see Wheway JM et al
- El-Shanti H** see Jbour A-K et al
- Elze L** see Long J-R et al
- Endo Y** see Kamimura J et al
- Eng C** see Borrego S et al
see Delatycki MB et al
see Drozdlic CM et al
see Merks JHM et al
- Enns GM** see Wong L-JC et al
- Erdei E** see Quintana-Murci L et al
- Erdenetunglag R** see Park H-J et al
- Erickson JD** see Wilcken B et al
- Estivill X** see Ars E et al
- Ettore G** see Wilcken B et al
- Eussen BHJ** see Smulders YM et al
- Evans AL** et al. Identification of eight novel *VEGFR-3* mutations in families with primary congenital lymphoedema, **697**
- Evans DG** see Amir E et al
see Warren C et al
- Evans DGR** see Baser ME et al
see Moyhuddin A et al
- Evans DGR** et al. Sensitivity of *BRCA1/2* mutation testing in 466 breast/ovarian cancer families, **e107**
- Evans JC** see Capon F et al
- Everman DB** see de Mollerat XJ et al
- Ewan PW** see Cumming S-A et al
- Ewing S** see Karmiloff-Smith A et al
- Eymard B** see Richard P et al
- Fabre M** see Kerr B et al
- Fahidi IE** see Mango R et al
- Faivre L** see Cormier-Daire V et al

- see Rio M et al
- Fairvre L** et al. Homozygosity mapping of a Desbuquois dysplasia locus to chromosome 17q25.3, 282
- In frame fibrillin-1 gene deletion in autosomal dominant Weill-Marchesani syndrome, 34
- Falk GW** see Drovldic CM et al
- Fan C** et al. Novel TBX5 mutations and molecular mechanism for Holt-Oram syndrome, e29
- Fan ZJ** see Yang WJ et al
- Fanin M** see Boita C et al
- Fann CSJ** see Lin YM et al
- Fantasia D** see Stuppia L et al
- Faragher EB** see Wozniak MA et al
- Fardeau M** see Richard P et al
- Farina V** see Mancini GMS et al
- Faughn ME** see Abdalla SA et al
- Fausser S** et al. Further support for digenic inheritance in Bardet-Biedl syndrome, e104
- Fauth C** see Kraus J et al
- Fazio VM** see Sarkozy A et al
- Federici M** see Mango R et al
- Feilottner H** see Ozcelik H et al
- Fellerhoff B** see Laumbacher B et al
- Feoli-Fonseca J-C** see Infante-Rivard C et al
- Ferguson-Smith MA** see Kamnasan D et al
- Feriozzi S** see Morrone A et al
- Ferlin A** et al. The human Y chromosome's azoospermia factor b (AZFb) region: sequence, structure, and deletion analysis in infertile men, 18
- Ferlini A** see Gualandi F et al
- Fernandes da Silva N** et al. Analysis of the Birt-Hogg-Dubé (BHD) tumour suppressor gene in sporadic renal cell carcinoma and colorectal cancer, 820
- Fernández-Burriel M** see Moreno-Pelayo MA et al
- Fernández JM** see de la Hoya M et al
- Fernández RM** see Borrego S et al
- Ferraris A** see Annese V et al
- Ferreira A** see Planté-Bordeneuve V et al
- Ferrero GB** see Morgan NV et al
- Fey C** see Chinnery PF et al
- ffrench-Constant C** see Baralle M et al
- Fiegler H** et al. Array painting: a method for the rapid analysis of aberrant chromosomes using DNA microarrays, 664
- Figulla HR** see Surber R et al
- Fiorito ANM** see Herasse M et al
- Filippova E** see Iannaccone A et al
- Fimiani M** see Zanolli R et al
- Firatli E** see Hart TC et al
- Firatli S** see Hart TC et al
- Fischbein A** see Giusti RM et al
- Fisher JL** see Drovldic CM et al
- Fisher RA** see Hodges MD et al
- Fisher-Fischbein J** see Giusti RM et al
- Fitze G** et al. Association of germline mutations and polymorphisms of the RET proto-oncogene with idiopathic congenital central hypoventilation syndrome in 33 patients, 1
- Fitzpatrick E** see de Silva MG et al
- Flanagan JA** see Harrison RE et al
- Fleming N** see Gill H et al
- Fleuren GJ** see Howell VM et al
- Flex E** et al. Mapping of a new autosomal dominant non-syndromic hearing loss locus (DFNA43) to chromosome 2p12, 278
- Fodde R** see Watson P et al
- Foix-L'Helias L** see Aboura A et al
- Forabosco P** see Annese V et al
- Forest C** see Ferlin A et al
- Forleo G B** see Mango R et al
- Formicola S** see Bonapace G et al
- Forrest S** see de Silva MG et al
- Forrest SM** see Efron D et al
- Forrest S** see de Silva MG et al
- Fortina P** see Annese V et al
- Foulkes WD** see Kotar K et al
- Fournier E** see Richard P et al
- Franceschi C** see Lio D et al
- Franke B** see Klootwijk R et al
- Franke G** see Neumann HPH et al
- Fraser L** see Ryan M et al
- Frazier-Bowers SA** et al. A unique form of hypodontia seen in Vietnamese patients: clinical and molecular analysis, e79
- Frebourg T** see Jacquet H et al
- Freedman LS** see Giusti RM et al
- Friedman JM** see Baser ME et al
- Friedman TB** see Naz S et al
see Ness SL et al
- Friedrich RE** see Kluwe L et al
- Frigard B** see Lambert J-C et al
- Frints SGM** see Longo I et al
- Frisén L** et al. A novel duplication in the HOXA13 gene in a family with atypical hand-foot-genital syndrome, e49
- Froyen G** see Longo I et al
- Frydman M** see Kamimura J et al
- Fryer A** see Sweeney E et al
- Fryns JP** see Bienvenu T et al
- Fryns J-P** see Castermans D et al
see Longo I et al
see Vermeesch JR et al
see Vogels A et al
see Witters I et al
- Fujita N** see Kudo S et al
- Fujita S** see Sumitsuji I et al
- Fukayama N** see Sumitsuji I et al
- Fukushima Y** see Nagai T et al
- Fünsterer C** see Kluwe L et al
- Fyne S** see Leonard H et al
- Gabrielli O** see Morrone A et al
- Gaff C** see Lobb EA et al
- Gagliardi C** et al. Unusual cognitive and behavioural profile in a Williams syndrome patient with atypical 7q11.23 deletion, 526
- Gallagher M** see Wilcken B et al
- Gallina M** see Vytopil M et al
- Gallione C** see Berg J et al
- Gallo-Terán J** see del Castillo FJ et al
- Galluzzi G** see Vytopil M et al
- Gan WQ** see Yang WJ et al
- Gandhi R** see Willoughby CE et al
- Garber JE** see Stoffel EM et al
- Garchon H-J** see Melki R et al
- Garcia-Barceló M-M** et al. Chinese patients with sporadic Hirschsprung's disease are predominantly represented by a single RET haplotype, e122
- Garcia-Hoyos M** see Bernal S et al
- Garcia-Sandoval B** see Bernal S et al
- Gardella R** see Coucke PJ et al
- Garelli E** see Dianzani I et al
- Garza L** see Mango R et al
- Gatta V** see Stuppia L et al
- Gattas M** see Kohlhase J et al
see Lobb EA et al
see Ruf RG et al
- Gaudon K** see Richard P et al
- Ge DL** see Yang WJ et al
- Geisthoff UW** see Abdalla SA et al
- Gejyo F** see Narita I et al
see Song J et al
- Gelman-Kohan Z** see Wilcken B et al
- Gelmetti C** see Brancati F et al
- Gendrot C** et al. A second heterozygous MDR3 nonsense mutation associated with intrahepatic cholestasis of pregnancy, e32
- Genevieve D** see Kerr B et al
- Gennari C** see Giordano N et al
- Gennari L** see Giordano N et al
- Gentle D** see Fernandes da Silva N et al
- Geraci S** see Giordano N et al
- Gérard B** see Cusin V et al
- Gerber S** see Perrault I et al
- Gerrero MR** see Martin A-M et al
- Gerritsen J** see Kamimura J et al
- Gerritsma MA** see Bleiker EMA et al
- Gámez J** see Solano A et al
- Géczy J** see Baumstark A et al
- Ghosh M** see Park H-J et al
- Ghosh S** see Liao S-Y et al

- Giannotti A** see Stuppia L et al
Giardina E see Mango R et al
Giedion A see Jakkula E et al
 see Mortier GR et al
Gill H et al. Mutation analysis in the *MECP2* gene and genetic counselling for Rett syndrome, **380**
Gillessen-Kaesbach G see Nietzel A et al
Gilliam TC see Martinez-Mir A et al
Gimenez A see Bernal S et al
Gimm O see Howell VM et al
Giorda R see Bonaglia MC et al
 see Gagliardi C et al
Giordano N et al. Mild brachydactyly type A1 maps to chromosome 2q35-q36 and is caused by a novel *IHH* mutation in a three generation family, **132**
Girardin E see Lebon S et al
Girirajan S see Ramshankar M et al
Gissen P see Johnson CA et al
 see Morgan NV et al
Giurgea I see Lebon S et al
Giusti RM et al. A twofold increase in *BRCA* mutation related prostate cancer among Ashkenazi Israelis is not associated with distinctive histopathology, **787**
Gladman G see Kerr B et al
Glass I see Ruf RG et al
Gleeson JG see Leeble EP et al
Gleeson M see Lobb EA et al
Glendon G see Ozcelik H et al
Glorieux FH see Ridanpää M et al
Goddard KAB see Drovldic CM et al
Godfrey M see Faivre L et al
Godino J see de La Hoya M et al
Godwin AK see Prowse AH et al
Gokhale D see Evans DGR et al
Goldenberg A see Chol M et al
Gonnelli S see Zannoli R et al
Gonska T see Ramalho AS et al
Goodman FR see Morgan NV et al
Goossens M see Mowat DR et al
Gordon D see Martinez-Mir A et al
Gorin MB see Jalkanen R et al
Gorlin RJ see Faivre L et al
Gorry MC see Hart TC et al
Gorski B see Gronwald J et al
Gosset P see Rio M et al
Goto S see Narita I et al
 see Song J et al
Grady WM see Drovldic CM et al
Graham G see Diaz-Meyer N et al
Graham Jr JM see de Mollerat XJ et al
Grant J see Karmiloff-Smith A et al
Green A see Sweeney E et al
Greene MH see Giusti RM et al
Gribble SM see Fiegler H et al
Gribouval O see Nandrot E et al
Grid D see de Sandre-Giovannoli A et al
Griffin AR see Chen H et al
Griffith AJ see Naz S et al
 see Ness SL et al
 see Park H-J et al
Grifone N see Sarkozy A et al
Griseri P see Sancandi M et al
Groenen P see Klootwijk R et al
Gronwald J et al. Non-random transmission of mutant alleles to female offspring of *BRCA1* carriers in Poland, **719**
Grover S see Staffel EM et al
Gruber SB see Chen H et al
 see Giusti RM et al
Gruenig E see Harrison RE et al
Grunn A see Martinez-Mir A et al
Grüßner S see Kohlhase J et al
Gu DF see Yang WJ et al
Gu S see Laumbacher B et al
Gualandi F et al. Multiple exon skipping and RNA circularisation contribute to the severe phenotypic expression of exon 5 dystrophin deletion, **e100**
Guanciale Franchi P see Stuppia L et al
Guerrini R see Leeble EP et al
 see Philip N et al
Guffon N Clinical presentation in female patients with Fabry disease, **e38**
Guiguet M see Infante-Rivard C et al
Guo S see Prowse AH et al
Gustafsson B see Dianzani I et al
Gustavsson P see Dianzani I et al
Guttmacher A see Berg J et al
Hackwell S see Leonard H et al
Hadidi A see Jbour A-K et al
Hahn SH see Park H-J et al
Hainque B see Richard P et al
Hajaji Y see Nandrot E et al
Hall C see Morgan NV et al
Hall CM see Offiah AC et al
 see Oosterwijk JC et al
Hall M see Ryan M et al
Halley DJ see de Vries BBA et al
 see Mancini GMS et al
Halliger-Keller B see Todorova A et al
Halsall D see Cumming S-A et al
Hamaker SA see Robertson NG et al
Hameed A et al. Evidence of *RPGRIPI* gene mutations associated with recessive cone-rod dystrophy, **616**
Hamel B see de Bernabé DBeltrán-Valero et al
 see Bienvenu T et al
 see Klootwijk R et al
Hamel BC see Ballhausen D et al
Hamel N see Kotar K et al
Hammie K see Howell VM et al
Hampshire D see Mubaidin A et al
Hampshire DJ see Leal GF et al
Hampton PJ see Lampe AK et al
Hanefeld F see Gill H et al
Hanein S see Perrault I et al
Hanley NA see Brickwood S et al
Hannula-Jouppi K see Kaminen N et al
Hansen FJ see Ravn K et al
Hantaï D see Richard P et al
Harada N see Kamimura J et al
 see Nagai T et al
Hardcastle AJ see Zito I et al
Harris CM see Ragge NK et al
Harrison RE et al. Molecular and functional analysis identifies ALK-1 as the predominant cause of pulmonary hypertension related to hereditary haemorrhagic telangiectasia, **865**
Hart PS see Hart TC et al
Hart TC et al. Novel *ENAM* mutation responsible for autosomal recessive amelogenesis imperfecta and localised enamel defects, **900**
Hart C see Ragge NK et al
Hausmanova-Petrusewicz I see Vytopil M et al
Haven CJ see Howell VM et al
Hawkins MM see Maher ER et al
Hayes A see Lambert J-C et al
Heón E see Willoughby CE et al
Hearn T see Brickwood S et al
Hecht JT see Ballhausen D et al
Heiberg A see Moyhuddin A et al
Heikkilä K et al. Mutation screening of *Mre11* complex genes: indication of *RAD50* involvement in breast and ovarian cancer susceptibility, **e131**
Heinonen K see Mononen T et al
Heinrich B see Kluwe L et al
Heller A see Nietzel A et al
Heller R et al. Partial deletion of the critical 1.5 Mb interval in Williams-Beuren syndrome, **e99**
Henderson BE see Paracchini S et al
Hendrickson BC et al. Application of haplotype pair analysis for the identification of hemizygous loci, **346**
Hennekam RCM see Merks JHM et al
 see Kuijpers TW et al
 see Oosterwijk JC et al
Hennies HC see Ruf RG et al
Hentati A see Yip AG et al
Heón E see Willoughby CE et al

- Herasse M** et al. Molecular study of three cases of odontohypophosphatasia resulting from heterozygosity for mutations in the tissue non-specific alkaline phosphatase gene, **605**
- Hermann X** see Lambert J-C et al
- Héron D** see Burglen L et al
- Hertz JM** see del Giudice EM et al
- Hertz-Pannier L** see Chol M et al
see Lebon S et al
- Hesson LB** see Fernandes da Silva N et al
- Hewitt SM** see Giusti RM et al
- Höglund P** et al. Familial Sotos syndrome is caused by a novel 1 bp deletion of the *NSD1* gene, **51**
- Hienonen T** see Laiho P et al
- Higgins CF** see Müllenbach R et al
- Higgins MJ** see Diaz-Meyer N et al
- Higuchi S** see Yamaya M et al
- Hilal L** see Nandrot E et al
- Hildebrandt F** see Ruf RG et al
- Hillion Y** see Cormier-Daire V et al
- Hirai H** see Yamaya M et al
- Hiriyanne S** see Iannaccone A et al
- Hiroi Y** see Fan C et al
- Hirschhorn** Genetic influences in gastro-oesophageal reflux disease: a twin study, **000**
- Hitchings RA** see Aung T et al
- Hloushek V** see Weiss FU et al
- Hoang-Vu C** see Howell VM et al
- Hodges MD** et al. Genetic refinement and physical mapping of a biparental complete hydatidiform mole locus on chromosome 19q13.4., **e95**
- Hodgson SV** see Lipton L et al
see Tischkowitz MD and Hodgson SV
- Hoffman C** see Ben-Ze'ev B et al
- Hofmann W** et al. The *BRCA2* variant 8204G>A is a splicing mutation and results in an in frame deletion of the gene, **e23**
- Hofstra R** see Wilcken B et al
- Hol FA** see Klootwijk R et al
- Holden ST** see Bovie C et al
see Cox JJ et al
- Holder GE** see Zito I et al
- Holloway S** see Berg J et al
- Hong S-H** see Shin J-H et al
- Hoogendoorn WE** see Jonker MA et al
- Horev L** see Martinez-Mir A et al
- Horínek A** see Vrablik M et al
- Horn D** see Hofmann W et al
- Horváth R** et al. A tRNA^{Ala} mutation causing mitochondrial myopathy clinically resembling myotonic dystrophy, **752**
- Houzet A** see Lambert J-C et al
- Howard E** see Kerr B et al
- Howell A** see Amir E et al
- Howell V** see Barlow-Stewart K et al
- Howell VM** et al. *HRPT2* mutations are associated with malignancy in sporadic parathyroid tumours, **657**
- Hsu C-H** see Wong L-JC et al
- Hu S** see Wilson HL et al
- Huang GY** see Yang WJ et al
- Huang JF** see Yang WJ et al
- Huang Q-Y** see Liu Y-Z et al
- Hubacek JA** see Vrablik M et al
- Hui RT** see Yang WJ et al
- Hukki J** see Koillinen H et al
- Hulkonen J** see Pessi T et al
- Hunt DM** see Michaelides M et al
- Huq F** see Barlow-Stewart K et al
- Hurme M** see Pessi T et al
- Huson SM** see Castle B et al
- Hüttner C** see Hofmann W et al
- Hygen PLM** see van Wijk E et al
- Huysmans C** see Castermans D et al
- Huzarski T** see Gronwald J et al
- Hyland V** see Ruf RG et al
- Iannaccone A** et al. Clinical and immunohistochemical evidence for an X linked retinitis pigmentosa syndrome with recurrent infections and hearing loss in association with an *RPGR* mutation, **e118**
- Iau PTC** see Sng J-H et al
- Ikonen T** see Lehtonen R et al
- Ikonen T** et al. *BRCA1* and *BRCA2* mutations have no major role in predisposition to prostate cancer in Finland, **e98**
- Imaizumi K** see Nagai T et al
- Inbar D** see Basel-Vanagaite L et al
- Infante-Rivard C** et al. Small babies receive the cardiovascular protective apolipoprotein ε2 allele less frequently than expected, **626**
- Innes AM** see Kamimura J et al
- Invernizzi F** see Puoti G et al
- Ios C** see Richard P et al
- Irving M** see Wheway JM et al
- Iscovich J** see Giusti RM et al
- Ishikawa M** see Kamimura J et al
- Ismail M** see Hameed A et al
- Ittiwut C** see Shotelersuk V et al
- Itzhaki RF** see Wozniak MA et al
- Ivanov S** see Liao S-Y et al
- Ivanova A** see Liao S-Y et al
- Iwatsubo T** see Lambert J-C et al
- Jablonski MM** see Iannaccone A et al
- Jackson AP** see Crow YJ et al
- Jackson M** see Beesley CE et al
- Jacobi CE** et al. Prevalence of family histories of breast cancer in the general population and the incidence of related seeking of health care, **e83**
- Jacobs A** see de Vries BBA et al
see Willemsen R et al
- Jacobs P** see Fiegler H et al
- Jacoby LB** see Kluwe L et al
- Jacomelli G** see Zanolli R et al
- Jacquet H** et al. The severe form of type I hyperprolinæmia results from homozygous inactivation of the *PRODH* gene, **e7**
- Jaikumar J** see Matyakhina L et al
- Jakkula E** et al. A recurrent R718W mutation in *COMP* results in multiple epiphyseal dysplasia with mild myopathy: clinical and pathogenetic overlap with collagen IX mutations, **942**
- Jaksch M** see Horváth R et al
- Jakubowska A** see Gronwald J et al
- Jalkanen R** et al. A new genetic locus for X linked progressive cone-rod dystrophy, **418**
- Jalvi R** see Ramshankar M et al
- James LA** see Warren C et al
- Jamil A** see Mubaidin A et al
- Janicijevic B** see Rudan I et al
- Jansen M** see Willemsen R et al
- Järvinen H** see Laiho P et al
- Jbour A-K** et al. Hypogonadotropic hypogonadism, short stature, cerebellar ataxia, rod-cone retinal dystrophy, and hypersegmented neutrophils: a novel disorder or a new variant of Boucheron-Neuhäuser syndrome?, **e2**
- Jedlicka A** see Nadif R et al
- Jeffery S** see Evans AL et al
- Jeffrey I** see Offiah AC et al
- Jenkins SA** see Zito I et al
- Jenne DE** see Kehrer-Sawatzki H et al
see Petek E et al
- Jeong S-Y** see Shin J-H et al
- Jezewski PA** et al. Complete sequencing shows a role for *MSX1* in non-syndromic cleft lip and palate, **399**
- Jin L** see Rudan I et al
- Jirtle RL** see Dietz LG et al
- Jobling MS** see Taylor RW et al
- Joe H** see Baser ME et al
- Johnson CA** see Morgan NV et al
- Johnson CA** et al. Molecular pathology and genetics of congenital hepatorenal fibrocystic syndromes, **311**
- Johnson J** see Stoffel EM et al
- Johnson M** see Jezewski PA et al
- Johnston DG** see Müllenbach R et al
- Johnston DK** see Drovatic CM et al
- Jongbloed RJ** see van Langen IM et al
- Jonker MA** see Jacobi CE et al
- Jonker MA** et al. Little value from including cousins in individual risk assessment of hereditary breast cancer: a simulation study, **e25**
- Jonveaux P** see Luciani JJ et al
- Joutchenko L** see Wilcken B et al

- Junien C** see Diaz-Meyer N et al
Jurkéniené L see Baumstark A et al
Just W see Baumstark A et al
- Kaaranen M** see Kaminen N et al
Kabra M see Park H-J et al
Kahnoski K see Howell VM et al
Kahnoski K et al. Alterations of the Birt-Hogg-Dubé gene (*BHD*) in sporadic colorectal tumours, 511
Kaitila I see Kuijpers TW et al
Kallionиеми О-Р see Ikonen T et al
 see Lehtonen R et al
Kalousek DK see Yong PJ et al
Kamath BM et al. Consequences of *JAG1* mutations, 891
Kamboh MI see Lambert J-C et al
Kamimura J et al. Identification of eight novel *NSD1* mutations in Sotos syndrome, e126
Kaminen N et al. A genome scan for developmental dyslexia confirms linkage to chromosome 2p11 and suggests a new locus on 7q32, 340
Kammasaran D et al. Disruption of the neuronal *PAS3* gene in a family affected with schizophrenia, 325
Kandemir M see Ninis VN et al
Kandemir N see Borthwick KJ et al
Kanetsky PA see Martin A-M et al
Kang HC see Kim I-J et al
Kant S see de Bernabé DBeltrán-Valero et al
Kapadia H see Frazier-Bowers SA et al
Kaplan J see Perrault I et al
Karet FE see Borthwick KJ et al
Karhu A see Laiho P et al
 see Lehtonen R et al
Karjalainen J see Pessi T et al
Karmiloff-Smith A et al. Using case study comparisons to explore genotype-phenotype correlations in Williams-Beuren syndrome, 136
Karpinen S-M see Heikkinen K et al
Karvonen SL see Messiaen L et al
Kaufmann F see Nadif R et al
Kavteladze L see Wilcken B et al
Kayserili H see Mancini GMS et al
Keats BJ see Varga R et al
Keefe K see Liao S-Y et al
Kehr-Sawatzki H see Barbi G et al
 see Petek E et al
Kehr-Sawatzki H et al. Heterogeneity of breakpoints in non-LCR-mediated large constitutional deletions of the 17q11.2 NF1 tumour suppressor region, e116
Kelley PM see Varga R et al
Kelly DA see Morgan NV et al
Kemperman MH see van Wijk E et al
Kennedy C see Eccles DM et al
Kennedy S see Abdalla SA et al
Keppeler-Noreuil K see Herasse M et al
Kere J see Kaminen N et al
 see Koillinen H et al
Keri C see Kraus J et al
Kermeen F see Harrison RE et al
Kern I see Lebon S et al
Kerr A see Gill H et al
Kerr B et al. Is growth hormone treatment beneficial or harmful in Costello syndrome?, e74
 Is the locus for Costello syndrome on 11p?, 469
Kestilä M see Kaminen N et al
K-H Tam P see García-Barceló M-M et al
Khaliq S see Hameed A et al
Khan S see Park H-J et al
Khatod K see Diaz-Meyer N et al
Khayat FE see Bentley L et al
Khoo SK see Howell VM et al
 see Kahnoski K et al
Kibiryeva N see Bittel DC et al
Kidd A see Chandler KE et al
Kilpivaara O et al. *CHEK2* 1100delC and colorectal cancer, e110
Kim B-E et al. A copper treatable Menkes disease mutation associated with defective trafficking of a functional Menkes copper ATPase, 290
Kim H see Yoon H-J et al
Kim HL see Yoon H-J et al
- Kim H-N** see Park H-J et al
Kim I-J et al. A novel germline mutation in the *MET* extracellular domain in a Korean patient with the diffuse type of familial gastric cancer, e97
Kim S see Yoon H-J et al
Kim SY see Lee YJ et al
Kim W-H see Shin J-H et al
Kim YS see Yoon H-J et al
Kimberling WJ see Varga R et al
Kinarsky Y see Watson P et al
King JF see Drovldic CM et al
King TM see Frazier-Bowers SA et al
Kinoshita A see Kamimura J et al
Kirk J see Lobb EA et al
Kirkpatrick TJ et al. Identification of a mutation in the Indian Hedgehog (*IHH*) gene causing brachydactyly type A1 and evidence for a third locus, 42
Kirschner LS see Matyakhina L et al
Kishino T see Kamimura J et al
Kiuru M see Lehtonen R et al
Kleeberger S see Nadif R et al
Kleijer WJ see Mancini GMS et al
Klootwijk R et al. Genetic variation analysis of *MLP*, *TFAP2A*, and *CSK* in patients with neural tube defects, e43
Kluijt I see Bleiker EMA et al
Kluwe L et al. *NF1* mutations and clinical spectrum in patients with spinal neurofibromas, 368
 Molecular study of frequency of mosaicism in neurofibromatosis 2 patients with bilateral vestibular schwannomas, 109
Knezevich A see Baralle M et al
Knight JA see Ozcelik H et al
Knox-Dubois C see Coveler KJ et al
Kockum I see Frisén L et al
Kodama T see Sumitsuji I et al
Koenekoop RK see Yzer S et al
Koenig J see Richard P et al
Kohlhase J et al. High incidence of the R276X *SALL1* mutation in sporadic but not familial Townes–Brocks syndrome and report of the first familial case, e127
Kohlhase J et al. Mutations at the *SALL4* locus on chromosome 20 result in a range of clinically overlapping phenotypes, including Okihiro syndrome, Holt–Oram syndrome, acro-renal-ocular syndrome, and patients previously reported to represent thalidomide embryopathy, 473
Koillinen H et al. Linkage and linkage disequilibrium searched for between non-syndromic cleft palate and four candidate loci, 464
Koivisto PA see Ikonen T et al
Koivunen J see Messiaen L et al
Kolehmainen J see Chandler KE et al
Kolonel LN see Paracchini S et al
Komajda M see Sébillon P et al
Komuro I see Fan C et al
Kondo D see Narita I et al
 see Song J et al
Kondo I see Leonard H et al
Kondoh T see Nagai T et al
Konicekzy M see Giusti RM et al
Königsrainer A see Neumann HPH et al
Koppens PFJ et al. Mapping of a de novo unequal crossover causing a deletion of the steroid 21-hydroxylase (*CYP21A2*) gene and a non-functional hybrid tenascin-X (*TNXB*) gene, e53
Koram KA see Wozniak MA et al
Kornak U see Borthwick KJ et al
Kornreich R see Ness SL et al
Kotar K et al. The *RNASEL* 471delAAAG allele and prostate cancer in Ashkenazi Jewish men, e22
Kovanen PE see Bomprezzi R et al
Kramer PPG see Mortier GR et al
Krantz ID see Kamath BM et al
Kraus J et al. A familial unbalanced subtelomeric translocation resulting in monosomy 6q27 → qter, e48
 Multicolour FISH fine mapping unravels an insertion as a complex chromosomal rearrangement involving six breakpoints and a 5.89 Mb large deletion, e60
Krause U see Howell VM et al
Krausz C see Quintana-Murci L et al

- Kremer H** see van Wijk E et al
Krieger E see van Wijk E et al
Kroes HY see Yzer S et al
Kroisel PM see Petek E et al
Kromberg J see Ruf RG et al
Kruyer H see Ars E et al
Ku J-L see Kim I-J et al
 see Shin J-H et al
Kubo T see Mogensen J et al
Kudo S et al. Heterogeneity in residual function of MeCP2 carrying missense mutations in the methyl CpG binding domain, **487**
Kuehnert H see Surber R et al
Kuhlisch E see Fitze G et al
Kuijpers TW et al. Short-limbed dwarfism with bowing, combined immune deficiency, and late onset aplastic anaemia caused by novel mutations in the *RMPR* gene, **761**
Kunz G see Gualandi F et al
Kuo SF see Iannaccone A et al
Kuramoto L see Baser ME et al
Kurdi A see Mubaidin A et al
Kuroswa K see Nagai T et al
Kurotaki N see Höglund P et al
 see Kamimura J et al
 see Nagai T et al
Kusumi K see Turnpenny PD et al
Kýlynç MO see Ninis VN et al
Kytölä S see Höglund P et al
Laakso M see Mononen T et al
Laan L see Clayton-Smith J and Laan L
Labrune P see Aboura A et al
 see Morgan NV et al
Lacombe D see Rio M et al
Lagace L see Kamimura J et al
Lagerstedt K see Frisén L et al
Lahermo P see Kämänen N et al
Lai TJ see Lin YM et al
Laiho P see Kilpivaara O et al
Laiho P et al. Mutation and LOH analysis of ACO2 in colorectal cancer: no evidence of biallelic genetic inactivation, **e73**
Laitinen T see Harrison RE et al
Lalloo F see Amir E et al
 see Evans DGR et al
Lambert J-C et al. Association of 3'-UTR polymorphisms of the oxidised LDL receptor 1 (*OLR1*) gene with Alzheimer's disease, **424**
Lampe AK et al. Laugier-Hunziker syndrome: an important differential diagnosis for Peutz-Jeghers syndrome, **e77**
Lang JC see Smiraglia DJ et al
Langbein A see Efron D et al
Lange EM see Chen H et al
Langer S see Meins M et al
Lansac J see Gendrot C et al
Larson A see Efron D et al
Lasinger W see Petek E et al
Lathrop M see Moreno-Pelayo MA et al
Latiano A see Annese V et al
Latif F see Fernandes da Silva N et al
 see Turner H et al
Laumbacher B et al. Significant frequency deviation of the class I polymorphism HLA-A10 in schizophrenic patients, **217**
Launonen V see Laiho P et al
Lauro R see Mango R et al
Lawrence CM see Lampe AK et al
Lázaro C see Ars E et al
Lazarus R see Barlow-Stewart K et al
Le EV see Frazier-Bowers SA et al
le Marec H see van Langen IM et al
le Merrer M see Cormier-Daire V et al
 see Faivre L et al
 see Rio M et al
Leal GF et al. A novel locus for autosomal recessive primary microcephaly (*MCPH6*) maps to 13q12.2, **540**
Leal SM see Varga R et al
Lebon P see Crow YJ et al
Lebon S see Chol M et al
Lebon S et al. Recurrent de novo mitochondrial DNA mutations in respiratory chain deficiency, **896**
Ledaal P see del Giudice EM et al
Lederer G see Kraus J et al
Lee D-S see Yoon H-J et al
Lee HS see Andelfinger G et al
Lee JS see Yoon H-J et al
Lee KU see Kim I-J et al
Lee SC see Sng J-H et al
Lee W-S see Garcia-Barceló M-M et al
Lee YJ et al. Pathogenic mutations but not polymorphisms in congenital and childhood onset autosomal recessive deafness disrupt the proteolytic activity of TMPRSS3, **629**
Leeflang EP et al. Patient with bilateral periventricular nodular heterotopia and polymicrogyria with apparently balanced reciprocal translocation (#1;6)(p12;p12.2) that interrupts themannosidase alpha, class 1A, and glutathione S-transferase A2 genes, **e128**
Lefson M see Crow YJ et al
Legius E see Vogels A et al
Lehesjoki A-E see Chandler KE et al
Lehmann OJ see Aung T et al
Lehner T see McCarthy JJ et al
Lehtonnen R et al. No fumarate hydratase (*FH*) mutations in hereditary prostate cancer, **e19**
Leisti E-L see Messiaen L et al
Lemeshow S see Drovildic CM et al
Lemon WJ see Bonner AE et al
Lemon WJ et al. Single nucleotide polymorphism (SNP) analysis of mouse pulmonary adenoma susceptibility loci 1–4 for identification of candidate genes, **e36**
Lendon C see Lambert J-C et al
Lenk D see Neumann HPH et al
Leonard H see Gill H et al
Leonard H et al. Patients with the R133C mutation: is their phenotype different from patients with Rett syndrome with other mutations?, **e52**
Leurch MM see Weiss FU et al
Lerman MI see Liao S-Y et al
Lerman-Sagie T see Zweier C et al
 see Ben-Zeev B et al
Lerone M see Sancandi M et al
Leroy JP see Richard P et al
Letarte M see Abdalla SA et al
Letourne E see Bauters C et al
Lev D see Ben-Zeev B et al
Levy E see Infante-Rivard C et al
Levy N see de Sandre-Giovannoli A et al
Lewis M see McDonald P et al
Li H-H see Annese V et al
Li J-L see Liu Y-Z et al
Li Z see Wilcken B et al
Liao S-Y et al. Expression of cell surface transmembrane carbonic anhydrase genes CA9 and CA12 in the human eye: overexpression of CA12 (*CAXII*) in glaucoma, **257**
Liebers M see Kohlhase J et al
Liehr T see Nietzel A et al
Lim S-B see Kim I-J et al
Lin YM et al. Receptor mediated effect of serotonergic transmission in patients with bipolar affective disorder, **781**
Linton KJ see Müllenbach R et al
Lio D et al. Inflammation, genetics, and longevity: further studies on the protective effects in men of *IL-10*-1082 promoter SNP and its interaction with *TNF-α*-308 promoter SNP, **296**
Lipede C see Evans AL et al
Lipton L et al. Germline mutations in the TGF-β and Wnt signalling pathways are a rare cause of the "multiple" adenoma phenotype, **e35**
Liu J see Martinez-Mir A et al
Liu P-Y see Long J-R et al
Liu X-Z see Park H-J et al
Liu Y-J see Liu Y-Z et al
 see Long J-R et al
Liu Y-Z et al. Confirmation linkage study in support of the X chromosome harbouring a QTL underlying human height variation, **825**
Livi W see Zannoli R et al
Lobb EA et al. Women's preferences and consultants' communication of risk in consultations about familial breast cancer: impact on patient outcomes, **e56**

- Lobo GP** see Kahnoski K et al
Lochmüller H see Todorova A et al
 see Horváth R et al
Lohiniva J see Jakkula E et al
Lomas DA see Cumming S-A et al
Lombès A see Chinnery PF et al
Londono D see Martinez-Mir A et al
Long J-R et al. APOE and TGF- β 1 genes are associated with obesity phenotypes, **918**
Longo I et al. A third MRX family (MRX68) is the result of mutation in the long chain fatty acid-CoA ligase 4 (FACL4) gene: proposal of a rapid enzymatic assay for screening mentally retarded patients, **11**
López-Alonso M see Borrego S et al
López-Gallardo E see Solano A et al
López MA see Wilcken B et al
Lorenz B see Sitorus R et al
Lossi A-M see Philip N et al
Loughnan G see Smith A et al
Love DR see West PMH et al
Lower KM see Baumstark A et al
L-S Chen B see García-Barceló M-M et al
Lu Y see Long J-R et al
Lubinski J see Gronwald J et al
Lucani B see Zannoli R et al
Luciani JJ et al. Telomeric 22q13 deletions resulting from rings, simple deletions, and translocations: cytogenetic, molecular, and clinical analyses of 32 new observations, **690**
Lucke B see Ruf RG et al
Ludwig B see Jezewski PA et al
Luedeking-Zimmer E see Lambert J-C et al
Luharia A see Maher ER et al
Luk D see Willoughby CE et al
Lupski JR see Shen JJ et al
Lütgen S see Heller R et al
Lux A see Berg J et al
Lynch HT see Watson P et al
Lynch JF see Watson P et al
Lynch M see de Silva MG et al
Lyon E see Hendrickson BC et al
Lyonnet S see Rio M et al
Lyytinen H see Kaminen N et al
MacCollin M see Kluwe L et al
MacDonald CB see Iannaccone A et al
Macdonald F see Maher ER et al
 see Turner H et al
Machado RD see Harrison RE et al
Machida J see Jezewski PA et al
Macias D see Bounpheng M et al
Macmillan J see Ruf RG et al
Macucci F see Zannoli R et al
Madeo AC see Ness SL et al
Maertens O see Messiaen L et al
Magal N see Basel-Vanagaite L et al
Maggouta F et al. A supernumerary marker chromosome 15 tetrasomic for the Prader-Willi/Angelman syndrome critical region in a patient with a severe phenotype, **e84**
Mahajna M see Basel-Vanagaite L et al
Mahbul Huq AHM see Serajee FJ et al
 see Zhong H et al
Maher ER see Diaz-Meyer N et al
 see Fernandes da Silva N et al
 see Morgan NV et al
Maher ER et al. Beckwith-Wiedemann syndrome and assisted reproduction technology (ART), **62**
Mäkelä H see Ridanpää M et al
Mäkinen M see Heikkinen K et al
Mäkitie O see Ridanpää M et al
Makita Y see Nagai T et al
Male DA see Neumann HPH et al
Malinge G see Ben-Ze'ev B et al
Mall M see Ramalho AS et al
Man PYW et al. The role of APOE in the phenotypic expression of Leber hereditary optic neuropathy, **e41**
Mancini GMS et al. Studies on the pathogenesis of Costello syndrome, **e37**
Mangino M see Flex E et al
Mango R et al. Association of single nucleotide polymorphisms in the oxidised LDL receptor 1 (OLR1) gene in patients with acute myocardial infarction, **933**
Mann D see Lambert J-C et al
Mannan P see Matyakhina L et al
Mannuelian T see Neumann HPH et al
Manouvier S see Burglen L et al
Mansour S see Offiah AC et al
 see Oosterwijk JC et al
Mäntylä M see Jalkanen R et al
Marchegiani F see Lio D et al
Marchuk D see Berg J et al
Marchuk DA see Yip AG et al
Marcorelles P see Cormier-Daire V et al
Marcos I see Bernal S et al
Mari F see Giordano N et al
Mariman ECM see Klootwijk R et al
Marino B see Sarkozy A et al
Maroteaux P see Cormier-Daire V et al
 see Faivre L et al
Marsh DJ see Howell VM et al
Marsh SE see Leeftlang EP et al
Marshall J see Wilson HL et al
Martin Y see del Castillo FJ et al
Martínez-Conde A see del Castillo FJ et al
Martínez-Frias ML see Wilcken B et al
Marti M see Jakkula E et al
Martin A-M et al. Germline TP53 mutations in breast cancer families with multiple primary cancers: is TP53 a modifier of BRCA1?, **e34**
Martin R see Bompuzzi R et al
Martinez-Mir A et al. Identification of a locus for type I punctate palmoplantar keratoderma on chromosome 15q22-q24, **872**
Martini A see Flex E et al
Martini G see Giordano N et al
Martinville Bde see Luciani JJ et al
Martuccillo G see Sancandi M et al
Marui S see Rocha JCC et al
Marynen P see Longo I et al
Mas Pde see Luciani JJ et al
Maslansky B see Giusti RM et al
Mastrobattista JM see Kirkpatrick TJ et al
Mastriacovo P see Wilcken B et al
Masud S, Ye S Effect of the peroxisome proliferator activated receptor- γ gene Pro12Ala variant on body mass index: a meta-analysis, **773**
Mata P see Cenarro A et al
Matikainen M see Lehtonen R et al
Matikainen MP see Ikonen T et al
Matsu T see Sumitsuji I et al
Matsuishi T see Leonard H et al
Matsumoto N see Höglund P et al
 see Kamimura J et al
 see Nagai T et al
Mattei M-G see Luciani JJ et al
Matthijis G see Vermeesch JR et al
 see Vogels A et al
Matticks C see Baralle M et al
Matyakhina L et al. Chromosome 2 (2p16) abnormalities in Carney complex tumours, **268**
Mautner V see Kluwe L et al
Mautner V-F see Kluwe L et al
Mayer M see Richard P et al
Mayerle J see Weiss FU et al
Maynard J see Gill H et al
Mazzei MA see Zannoli R et al
Mazzoli M see Flex E et al
McCarthy JJ et al. Association of genetic variants in the HDL receptor, SR-B1, with abnormal lipids in women with coronary artery disease, **453**
McCarthy MI see Müllenbach R et al
McCready ME see Kirkpatrick TJ et al
McDermid HE see Wilson HL et al
McDonald J see Abdalla SA et al
McDonald P et al. Appraisal of genetic and epigenetic congruity of a monozygotic twin pair discordant for schizophrenia, **e16**
McElreavey K see Quintana-Murci L et al
McGrath S see Bounpheng M et al

- McIntosh I** see Sweeney E et al
McKenna WJ see Mogensen J et al
McKinnon W see Berg J et al
McLaughlin V see Harrison RE et al
Mecklin J-P see Laipo P et al
Mégarbané A see de Sandre-Giovannoli A et al
Mehdi SQ see Hameed A et al
Mehta J L see Mango R et al
Meindl A see Jalkanen R et al
Meins M et al. Partial trisomy of chromosome 22 resulting from an interstitial duplication of 22q11.2 in a child with typical cat eye syndrome, e62
Meiser B see Lobb EA et al
Melki R et al. The M98K variant of the OPTINEURIN (OPTN) gene modifies initial intraocular pressure in patients with primary open angle glaucoma, 842
Meloni I see Giordano N et al
 see Longo I et al
Meltoranta R-L see Mononen T et al
Mencía A see Moreno-Pelayo MA et al
Mendonça BB see Rocha JCC et al
Menkiszak J see Gronwald J et al
Menko FH see Bleeker EMA et al
Merks JHM et al. PTEN hamartoma tumour syndrome: variability of an entity, e111
Merks P Nikkels see JHM et al
Merlini L see Vytopil M et al
Merlotti D see Giordano N et al
Merrot S see Lambert J-C et al
Messiaen L et al. Independent NF1 mutations in two large families with spinal neurofibromatosis, 122
Metcalfe K see Karmiloff-Smith A et al
Meyer E et al. Genomic characterisation of C7orf10 in Silver-Russell syndrome patients, e44
 Searching for genomic variants in the MESTIT1 transcript in Silver-Russell syndrome patients, e65
Michaelides M et al. The genetics of inherited macular dystrophies, 641
Michaels RC see Kohlhase J et al
Michalec MD see Hart TC et al
Michaud J see Crow YJ et al
Micheli V see Zanolli R et al
Miedzybrodzka Z see Ryan M et al
Migliosi V see Flex E et al
Mignon-Ravix C see Luciani JJ et al
Milewicz DM see Frazier-Bowers SA et al
Millaire A see Sébillon P et al
Minassian BA see Chan EM et al
Mingarelli R see Flex E et al
Mintz M see Nadif R et al
Miracco C see Zanolli R et al
Miraglia del Giudice E et al. A novel mutation (R218Q) at the boundary between the N-terminal and the first transmembrane domain of the glycine receptor in a case of sporadic hyperekplexia, e71
Misrahi M see Planté-Bordeneuve V et al
Miyakawa K see Kamimura J et al
Miyake N see Höglund P et al
 see Kamimura J et al
Müllenbach R et al. ABCB4 gene sequence variation in women with intrahepatic cholestasis of pregnancy, e70
Müller N see Laumbacher B et al
Mocon H see Borthwick KJ et al
Modamio-Høybjør S see Moreno-Pelayo MA et al
Moerman A see Burglen L et al
Moerman P see Witters I et al
Mogenet A see de Leersnyder H et al
Mogensen J et al. Comparison of fluorescent SSCP and denaturing HPLC analysis with direct sequencing for mutation screening in hypertrophic cardiomyopathy, e59
Moggio M see Vytopil M et al
Mohammed SN see Kohlhase J et al
Mokhtari M see Richard P et al
Molinari F see Cormier-Daire V et al
Moliterno DJ see McCarthy JJ et al
Monk D see Bentley L et al
Mononen N see Ikonen T et al
Mononen T et al. Partial trisomy 10q with mild phenotype caused by an unbalanced X;10 translocation, e61
Monteiro ANA et al. Absence of constitutional H2AX gene mutations in 101 hereditary breast cancer families, e51
Montoya J see Solano A et al
Moon S-K see Park H-J et al
Moore AT see Michaelides M et al
Moore GE see Bentley L et al
Moraine C see Bienvenu T et al
Morales-Angulo C see del Castillo FJ et al
Moran A see Amir E et al
Morandi L see Vytopil M et al
Moreira ES et al. Genotype-phenotype correlations in 35 Brazilian families with sarcoglycanopathies including the description of three novel mutations, e12
Morell M see Ars E et al
Moreno F see Moreno-Pelayo MA et al
 see del Castillo FJ et al
 see Alvarez A et al
Moreno-Pelayo MA et al. DFNA49, a novel locus for autosomal dominant non-syndromic hearing loss, maps proximal to DFNA7/DFNM1 region on chromosome 1q21-q23, 832
 see del Castillo FJ et al
 see Alvarez A et al
Morgan CT see de Mollerat XJ et al
Morgan NV et al. A locus for asphyxiating thoracic dystrophy, ATD, maps to chromosome 15q13, 431
Morgese G see Zanolli R et al
Moriya Y see Sumitsuji I et al
Morizio E see Stuppia L et al
Mornet E see Herasse M et al
Moro E see Ferlin A et al
Moro F see Leeftang EP et al
Morreau H see Howell VM et al
Morrell NW see Harrison RE et al
Morris CM see Man PYW et al
Morrone A et al. Fabry disease: molecular studies in Italian patients and X inactivation analysis in manifesting carriers, e103
Mortier G see Kohlhase J et al
Mortier GR et al. Acrocapitofemoral dysplasia: an autosomal recessive skeletal dysplasia with cone shaped epiphyses in the hands and hips, 201
Mortimer P see Evans AL et al
Morton CC see Iannaccone A et al
 see Robertson NG et al
Morton J see Morgan NV et al
Motsch S see Meins M et al
Mountford R see Sweeney E et al
Mouton C see Bauters C et al
Mowat DR et al. Mowat-Wilson syndrome, 305
Mowjoodi A see Naz S et al
Moyuddin A et al. Somatic mosaicism in neurofibromatosis 2: prevalence and risk of disease transmission to offspring, 459
Mozas P see Cenarro A et al
Mubaidien M see Mubaidin A et al
Mubaidin A et al. Karak syndrome: a novel degenerative disorder of the basal ganglia and cerebellum, 543
Mubaidin AF see Jbour A-K et al
Muccilli ML see Kerr B et al
Mugnier C see Lebon S et al
Mühlendyck H see Meins M et al
Muir WJ see Kamnasaran D et al
Müllenbach R et al. ABCB4 gene sequence variation in women with intrahepatic cholestasis of pregnancy, e70
Muller K see Kaminen N et al
Müller CR see Todorova A et al
Müller N see Laumbacher B et al
Müller T see Kohlhase J et al
Müller-Höcker J see Horváth R et al
Munier FL see Willoughby CE et al
Munnich A see Chol M et al
 see Cormier-Daire V et al
 see de Leersnyder H et al
 see Faivre L et al
 see Lebon S et al
 see Perrault I et al

- see Rio M et al
- Muntoni F** see Gualandi F et al
- Munz M** see Fauser S et al
- Murphy B** see McDonald P et al
- Murphy SK** see Dietz LG et al
- Murray JC** see Jezewski PA et al
- Mutchinick OM** see Wilcken B et al
- Muti C** see Herasse M et al
- Myllyluoma B** see Kaminen N et al
- Nabi R** see Serajee FJ et al
see Zhong H et al
- Nadif R** et al. Effect of TNF and LTA polymorphisms on biological markers of response to oxidative stimuli in coal miners: a model of gene-environment interaction, 96
- Nagai T** et al. Sotos syndrome and haploinsufficiency of NSD1: clinical features of intragenic mutations and submicroscopic deletions, 285
- Nagelkerke NJD** see Jacobi CE et al
- Nakabayashi K** see Bentley L et al
- Nakao M** see Kudo S et al
- Nakayama K** see Yamaya M et al
- Nance WE** see Park H-J et al
- Nandrot E** et al. Gamma-D crystallin gene (CRYGD) mutation causes autosomal dominant congenital cerulean cataracts, 262
- Narita I** see Song J et al
- Narita I** et al. Renoprotective efficacy of renin-angiotensin inhibitors in IgA nephropathy is influenced by ACE A2350G polymorphism, e130
- Naritomi K** see Nagai T et al
- Narod SA** see Gronwald J et al
see Monteiro ANA et al
see Watson P et al
- Nash R** see Offiah AC et al
- Nassif NT** see Kahnosi K et al
- Natsume N** see Jezewski PA et al
- Naz S** see Park H-J et al
- Naz S** et al. Distinctive audiometric profile associated with DFNB21 alleles of TECTA, 360
- Nelson AE** see Howell VM et al
- Neoptolemos JP** see Weiss FU et al
- Nepomucena B** see Jezewski PA et al
- Neri G** see Pascale E et al
- Ness SL** et al. Genetic homogeneity and phenotypic variability among Ashkenazi Jews with Usher syndrome type III, 767
- Neumann HPH** et al. Haemolytic uraemic syndrome and mutations of the factor H gene: a registry-based study of German speaking countries, 676
- Nevanlinna H** see Kilpivaara O et al
- Newbury-Ecob R** see Kohlhase J et al
- Newby LK** see McCarthy JJ et al
- Newlands ES** see Hodges MD et al
- Neyer U** see Neumann HPH et al
- Nicolai R** see Pascale E et al
- Nielsen JB** see Ravn K et al
- Nieminen MM** see Pessi T et al
- Niess A** see Borrego S et al
- Nietzel A** et al. Partial hexasomy 15pter | ad15q13 including SNRPN and D15S10: first molecular cytogenetically proven case report, e28
- Nihalani V** see Wheway JM et al
- Niiikawa N** see Kamimura J et al
see Nagai T et al
- Nikkels P** see Merks JHM et al
- Ninis VN** et al. High frequency of T9 and CFTR mutations in children with idiopathic bronchiectasis, 530
- Nishimura C** see Jezewski PA et al
- Nomura S** see Sumitsuji I et al
- Nomura Y** see Kudo S et al
- Nopola-Hemmi J** see Kaminen N et al
- Nordenskjöld A** see Frisén L et al
- Normando EM** see Iannaccone A et al
- Northrup H** see Kirkpatrick TJ et al
- Novelli G** see Mango R et al
- Nupponen NN** see Lehtonen R et al
- Nurnberg G** see Ruf RG et al
- Nurnberg P** see Ruf RG et al
- Nuti R** see Giordano N et al
- Oberti C** see Fan C et al
- O'Brien SE** see Jezewski PA et al
- Odent S** see Chol M et al
see Rio M et al
- Odou M-F** see Bauters C et al
- Oefner PJ** see Horváth R et al
- Offiah AC** et al. Greenberg dysplasia (HEM) and lethal X linked dominant Conradi-Hünermann chondrodyplasia punctata (CDPX2): presentation of two cases with overlapping phenotype, e129
- Ogata T** see Nagai T et al
- Ogawa M** see Sumitsuji I et al
- Ohashi H** see Kamimura J et al
see Nagai T et al
- Ohta T** see Kamimura J et al
- Okamoto N** see Kamimura J et al
- Olivieri F** see Lio D et al
- Ollikainen V** see Koillinen H et al
- Olmer R** see de Vries BBA et al
- Olschewski H** see Harrison RE et al
- Olschwang S** see Parc Y et al
- Omori K** see Narita I et al
see Song J et al
- Oosterwijk JC** et al. Congenital abnormalities reported in Pelger-Hüët homozygosity as compared to Greenberg/HEM dysplasia: highly variable expression of allelic phenotypes, 937
- Oostra B** see Willemsen R et al
- Oostra BA** see de Vries BBA et al
- O'Reilly R** see McDonald P et al
- Orioli IM** see Jezewski PA et al
- Otto E** see Ruf RG et al
- Ozelik H** et al. Individual and family characteristics associated with protein truncating BRCA1 and BRCA2 mutations in an Ontario population based series from the Cooperative Family Registry for Breast Cancer Studies, e91
- Ozdemir D** see Hart TC et al
- Ozen S** see Borthwick KJ et al
- Pack S** see Matyakhina L et al
- Paditz E** see Fitz G et al
- Pak E** see Matyakhina L et al
- Palka G** see Stuppia L et al
- Palmieri O** see Annese V et al
- Pals ST** see Kuijpers TW et al
- Pandya A** see Park H-J et al
- Papp T** et al. Mutational analysis of N-ras, p53, CDKN2A (p16), p14, CDK4, and MC1R genes in human dysplastic melanocytic naevi, e14
- Paracchini S** et al. A Y chromosomal influence on prostate cancer risk: the multi-ethnic cohort study, 815
- Parc Y** et al. Cancer risk in 348 French MSH2 or MLH1 gene carriers, 208
- Parini R** see Morrone A et al
- Park D** see Lee YJ et al
- Park H-J** et al. Origins and frequencies of SLC26A4 (PDS) mutations in east and south Asians: global implications for the epidemiology of deafness, 242
- Park J-G** see Kim I-J et al
see Shin J-H et al
- Park J-H** see Kim I-J et al
- Park S-Y** see Shin J-H et al
- Park WJ** see Lee YJ et al
- Parrini E** see Leeflang EP et al
- Parthoenes E** see Castermans D et al
- Pascale E** et al. Modulation of methylation in the FMR1 promoter region after long term treatment with L-carnitine and acetyl-L-carnitine, e76
- Pascotto A** see del Giudice EM et al
- Pasquier F** see Lambert J-C et al
- Passos-Bueno MR** see Moreira ES et al
- Patarnello T** see Gualandi F et al
- Patel M** see Bentley L et al
- Patel RJ** see Zito I et al
- Patel S** see Capon F et al
- Paterson AD** see Chan EM et al
- Patriub V** see Robertson NG et al
- Patrone G** see Sancandi M et al
- Pavanello RCM** see Moreira ES et al
- Pearce CL** see Paracchini S et al

- Pegoraro E** see Boito C et al
Peippo M see Jalkanen R et al
Pellegrini L see Zannoli R et al
Peltonen J see Messiaen L et al
Pemsel H see Papp T et al
Penque D see Ramalho AS et al
Pera A see Alvarez A et al
Percopo S see Boniotti M et al
Perng C-L see Wong L-JC et al
Perrault I et al. Evidence of autosomal dominant Leber congenital amaurosis (LCA) underlain by a CRX heterozygous null allele, e90
Perreaux F see Aboura A et al
Perfile M see Slater HR et al
Pesce B see Sancandi M et al
Pescucci C see Longo I et al
Pessi T et al. A common IL-1 complex haplotype is associated with an increased risk of atopy, e66
Petek E et al. Mitotic recombination mediated by the *JAZF1* (KIAA0160) gene causing somatic mosaicism and a new type of constitutional NF1 microdeletion in two children of a mosaic female with only few manifestations, 520
Molecular characterisation of a 3.5 Mb interstitial 14q deletion in a child with several phenotypic anomalies, e47
Peters J see Bentley L et al
Peters M see Kuijpers TW et al
Peters WHM see Rajmakers MTM et al
Petillo D see Howell VM et al
Petit C see Moreno-Pelayo MA et al
Petreschi F see Stuppia L et al
Petris MJ see Kim B-E et al
Pérez-Segura P see de La Hoya M et al
Pöyhönen M see Messiaen L et al
Pham KY see Frazier-Bowers SA et al
Phelan CM see Monteiro ANA et al
Phelan MC see Wilson HL et al
Philip N see Cormier-Daire V et al
see Kerr B et al
Philip N et al. Mutations in the oligophrenin-1 gene (*OPHN1*) cause X linked congenital cerebellar hypoplasia, 441
Philippe A see Luciani JJ et al
Philips J see Howell VM et al
Piccoli DA see Kamath BM et al
Picó A see Cebrián A et al
Pietrobono see Pascale E et al
Pigny P see Bauters C et al
Pilz D see Leeftlang EP et al
Pilz DT see Eccles DM et al
Pineda M see Solano A et al
Pintor S see Stuppia L et al
Piomboni P see Zannoli R et al
Piper K see Brickwood S et al
Pistone G see Morrone A et al
Pizzuti A see Flex E et al
see Sarkozy A et al
Planté-Bordeneuve V et al. Genetic study of transthyretin amyloid neuropathies: carrier risks among French and Portuguese families, e120
Plaschke J et al. Genomic rearrangements of *hMSH6* contribute to the genetic predisposition in suspected hereditary non-polyposis colorectal cancer syndrome, 597
Plass C see Smiraglia DJ et al
Plauchu H see Abdalla SA et al
Playán A see Solano A et al
Plecko-Starting B see Petek E et al
Pocovi M see Cenarro A et al
Poirier K see Bienvenu T et al
Poledne R see Vrabilík M et al
Politano L see Vytopil M et al
Polizzi A see Ruggieri M and Polizzi A
Pollán M see Cebrián A et al
Pomilio M see Stuppia L et al
Pomponi MG see Pascale E et al
Poncet V see Aboura A et al
Pongratz D see Horváth R et al
Porchet N see Bauters C et al
Porteous M see Berg J et al
Porter KM see Fiegler H et al
Potocki L see Shen JJ et al
Pramparo T see Bonaglia MC et al
Preece MA see Bentley L et al
Preising M see Sitorus R et al
Prescott Q see Aung T et al
Prieur M see Luciani JJ et al
see Rio M et al
Prigmore E see Fiegler H et al
Priolet C see Richard P et al
Pritchard A see Lambert J-C et al
Proos A see Barlow-Stewart K et al
Pros E see Ars E et al
Prowse AH et al. Identification of a splice acceptor site mutation in *p16^{INK4A}/p14^{ARF}* within a breast cancer, melanoma, neurofibroma prone kindred, e102
Proye C see Bauters C et al
Pruss D see Hendrickson BC et al
Pucci L see Zannoli R et al
Puoti G et al. Identical large scale rearrangement of mitochondrial DNA causes Kearns-Sayre syndrome in a mother and her son, 858
Puppo F see Sancandi M et al
Purcell S see Moyhuddin A et al
Puttinger R see Kämimura J et al
Pyper R see Offiah AC et al
Qiang BQ see Yang WJ et al
Quintana-Murci L et al. Y chromosome haplotypes and testicular cancer in the English population, e20
Radnaabazar J see Park H-J et al
Raes M see Vermeesch JR et al
Ragge NK et al. Familial vestibulocerebellar disorder maps to chromosome 13q31-q33: a new nystagmus locus, 37
Raijmakers MTM et al. Haptoglobin and its association with the HELLP syndrome, 214
Ramalho AS et al. Transcript analysis of the cystic fibrosis splicing mutation 1525-1G>A shows use of multiple alternative splicing sites and suggests a putative role of exonic splicing enhancers, e88
Ramírez-Camacho R see del Castillo FJ et al
Ramsden RT see Baser ME et al
see Moyhuddin A et al
see Warren C et al
Ramshankar M et al. Contribution of connexin26 (*GJB2*) mutations and founder effect to non-syndromic hearing loss in India, e68
Rangasayee R see Ramshankar M et al
Raoul O see Cormier-Daire V et al
see Rio M et al
Rappaport E see Annese V et al
Raskin S see Kämimura J et al
Rauch A see Heller R et al
see Kohlhase J et al
see Zweier C et al
Rauen KA see Dietz LG et al
Rautio J see Koillinen H et al
Raux G see Jacquet H et al
Ravazzolo R see Sancandi M et al
Ravella A see Ars E et al
Ravi Shankar HM see Ramshankar M et al
Ravine D see Gill H et al
see Leonard H et al
Ravn K et al. No correlation between phenotype and genotype in boys with a truncating *MECP2* mutation, e5
Raybaud C see Philip N et al
Raymond FL see Bovie C et al
see Cox JJ et al
Raynaud M see Longo I et al
Read AP see Karmiloff-Smith A et al
Reale GC see Pascale E et al
Reardon W see Kohlhase J et al
Rebbeck TR see Martin A-M et al
Recker RR see Liu Y-Z et al
see Long J-R et al
Redlund M see Wilcken B et al
Rees HC see Hodges MD et al
Reeves C see McCarthy JJ et al

- Reid E** Science in motion: common molecular pathological themes emerge in the hereditary spastic paraplegias, 81
- Reid E** see Yip AG et al
- Reik W** see Diaz-Meyer N et al
see Maher ER et al
- Reinhardt D** see Berg J et al
- Ren H** see Slater HR et al
- Renieri A** see Giordano N et al
see Longo I et al
- Rennert G** see Giusti RM et al
- Resic B** see Kamimura J et al
- Reyes G** see Cenarro A et al
- Riazuddin S** see Naz S et al
see Park H-J et al
- Riccardi V** see Messiaen L et al
- Ricci E** see Vytopil M et al
- Ricci R** see Morrone A et al
- Richard P** et al. Possible founder effect of rapsyn N88K mutation and identification of novel rapsyn mutations in congenital myasthenic syndromes, e81
- Richter J** see Drodlic CM et al
- Ricotti R** see Vytopil M et al
- Ridanpää M** see Kuijpers TW et al
- Ridanpää M** et al. Genetic changes in the RNA components of RNase MRP and RNase P in Schmid metaphyseal chondrodyplasia, 741
- Riegler P** see Neumann HPH et al
- Riley B** see Watson P et al
- Riley EM** see Woźniak MA et al
- Rimessi P** see Gualandi F et al
- Rimoir DL** see Cormier-Daire V et al
- Rinaldi MM** see Stuppia L et al
- Rines D** see Boumpheng M et al
- Rio M** see Cormier-Daire V et al
- Rio M** et al. Spectrum of NSD1 mutations in Sotos and Weaver syndromes, 436
- Ritvanen A** see Wilcken B et al
- Rivard G-E** see Infante-Rivard C et al
- Rivera T** see Álvarez A et al
- Robbins IM** see Harrison RE et al
- Roberts E** see Crow YJ et al
see Leal GF et al
see Mubaidin A et al
- Roberts RG** see Wheway JM et al
- Roberts SE** see Maggouta F et al
- Robertson NG** et al. Subcellular localisation, secretion, and post-translational processing of normal cochlin, and of mutants causing the sensorineural deafness and vestibular disorder, DFNA9, 479
- Robinson BG** see Howell VM et al
- Robinson WP** see Yong PJ et al
- Robledo M** see Cebríán A et al
- Rocchi M** see Bonaglia MC et al
- Rocha JCC** et al. High frequency of novel germline mutations in the VHL gene in the heterogeneous population of Brazil, e31
- Rockas S** see Ridanpää M et al
- Rodríguez-Ballesteros M** see del Castillo FJ et al
- Roes EM** see Rajmakers MTM et al
- Roesner D** see Fitze G et al
- Rogers RC** see de Mollerat XJ et al
- Rogers WJ** see McCarthy JJ et al
- Rökman A** see Ikonen T et al
see Lehtonen R et al
- Rötig A** see Chol M et al
- Rollwitz I** see Papp T et al
- Romana S** see Cormier-Daire V et al
- Romeo F** see Mango R et al
- Romeo G** see García-Barceló M-M et al
see Sancandi M et al
- Romitti PA** see Jezewski PA et al
- Ronchetti RD** see Giusti RM et al
- Ropers HH** see Bienvenu T et al
- Rosell J** see Bernal S et al
- Rossi A** see Ferlin A et al
- Rost I** see Kraus J et al
- Rötig A** see Chol M et al
see Lebon S et al
- Rouleau GA** see Chan EM et al
- Routon MC** see Richard P et al
- Rowell J** see Harrison RE et al
- Rowland JS** see Akrami SM et al
- Rozet J-M** see Perrault I et al
- Rubinstein DC** see Yip AG et al
- Rudan D** see Rudan I et al
- Rudan I** et al. Inbreeding and risk of late onset complex disease, 925
- Rudan P** see Rudan I et al
- Ruf E-M** see Ruf RG et al
- Ruf RG** et al. A gene locus for branchio-otic syndrome maps to chromosome 14q21.3-q24.3, 515
- Ruggieri M, Polizzi A** From Aldrovandi's "Homuncio" (1592) to Buffon's girl (1749) and the "Wart Man" of Tilesius (1793): antique illustrations of mosaicism in neurofibromatosis?, 227
- Ruiz IM** see Martínez-Mir A et al
- Ruiz-Llorente S** see Cebríán A et al
- Rüschoff J** see Plaschke J et al
- Rush LJ** see Smiraglia DJ et al
- Russell-Eggitt I** see Ragge NK et al
- Russo L** see Stoffel EM et al
- Rustin P** see Chol M et al
see Lebon S et al
- Rutter JL** see Giusti RM et al
- Ryan M** et al. Genetic information but not termination: pregnant women's attitudes and willingness to pay for carrier screening for deafness genes, e80
- Ryu OH** see Hart TC et al
- Sacco P** see Zanolli R et al
- Saga D** see Song J et al
- Said G** see Planté-Bordeneuve V et al
- Saito N** see Narita I et al
see Song J et al
- Sakatsume M** see Narita I et al
see Song J et al
- Sakazume S** see Nagai T et al
- Salas-Alanis JC** see Martínez-Mir A et al
- Salden I** see Vermeesch JR et al
- Salefranque F** see de Leersnyder H et al
- Salzmann M** see Neumann HPH et al
- Sampaolo S** see Puoti G et al
- Samples JR** see Faivre L et al
- Sampson JR** see Maher ER et al
- Sanati MH** see Naz S et al
- Sancandi M** et al. Single nucleotide polymorphic alleles in the 5' region of the RET proto-oncogene define a risk haplotype in Hirschsprung's disease, 714
- Sandrini F** see Matyakhina L et al
- Sankelo M** see Harrison RE et al
- Sanz J** see de La Hoya M et al
- Sarfarazi M** see Evans AL et al
- Särkioja M** see Ridanpää M et al
- Sarkozy A** et al. Correlation between PTPN11 gene mutations and congenital heart defects in Noonan and LEOPARD syndromes, 704
- Sasaki H** see Yamaya M et al
- Sato F** see Song J et al
- Saugier-Veber P** see Jacquet H et al
- Sauzier P** see Kerr B et al
- Scala I** see Wilcken B et al
- Scambler PJ** see Morgan NV et al
- Scarano G** see Stuppia L et al
see Wilcken B et al
- Schackert HK** see Fitze G et al
see Plaschke J et al
- Schaïd DJ** see Lehtonen R et al
- Schanen C** see Kudo S et al
- Scharfe C** see Horváth R et al
- Schelley S** see Wong L-JC et al
- Scherer SW** see Bentley L et al
see Chan EM et al
- Scherneck S** see Hofmann W et al
- Schiavello T** see Leonard H et al
- Schiffmann D** see Papp T et al
- Schinzel A** see de Vries BBA et al
- Schipper H** see Papp T et al
- Schlafke M** see Fitze G et al
- Schlesinger B** see Laumbacher B et al

- Schleutker J** see Ikonen T et al
see Lehtonen R et al
- Schnekenburger J** see Weiss FU et al
- Scholl T** see Hendrickson BC et al
- Schoser BG** see Horváth R et al
- Schouten JP** see Slater HR et al
- Schröder B** see Heller R et al
- Schroer A** see Bovie C et al
- Schubert L** see Kohlhase J et al
- Schuil J** see Yzer S et al
- Schuller DE** see Smiraglia DJ et al
- Schultz DC** see Prowse AH et al
- Schultz RE** see Jezewski PA et al
- Schuster V** see Jakkula E et al
- Schwartz C** see Longo I et al
- Schwartz CE** see de Mollerat XJ et al
- Schwartz K** see Sébillon P et al
- Schwartz M** see Ravn K et al
- Scola L** see Lio D et al
- Sébillon P** et al. Expanding the phenotype of *LMNA* mutations in dilated cardiomyopathy and functional consequences of these mutations, 560
- Seckl MJ** see Hodges MD et al
- Segawa M** see Kudo S et al
- Segelov E** see Kahnosi K et al
- Seidel H** see Kraus J et al
- Selicorni A** see Gagliardi C et al
- Seppälä EH** see Ikonen T et al
- Serajee FJ** see Zhong H et al
- Serajee FJ** et al. Association of *INPP1*, *PIK3CG*, and *TSC2* gene variants with autistic disorder: implications for phosphatidylinositol signalling in autism, e119
- Serajee FJ** et al. The metabotropic glutamate receptor 8 gene at 7q31: partial duplication and possible association with autism, e42
- Sergi C** see Johnson CA et al
- Seripa D** see Sarkozy A et al
- Serra E** see Ars E et al
- Severijnen L-A** see de Vries BBA et al
see Willemsen R et al
- Seydewitz HH** see Ramalho AS et al
- Shaffer LG** see Coveler KJ et al
- Shah GN** see Borthwick KJ et al
- Sham M-H** see García-Barceló M-M et al
- Shanks JH** see Quintana-Murci L et al
- Sharif A** see Sng J-H et al
- Sharp A** see Mononen T et al
- Shaukat S** see Park H-J et al
- Shaw SR** see Wilson HL et al
- Shen H** see Liu Y-Z et al
- Shen JJ** et al. Mandibuloacral dysplasia caused by homozygosity for the R527H mutation in lamin A/C, 854
- Shen Y** see Yang WJ et al
- Shenton A** see Amir E et al
- Shih HA** see Martin A-M et al
- Shimokawa O** see Kamimura J et al
- Shin JH** see Yoon H-J et al
- Shin J-H** et al. Mutations of the Birt-Hogg-Dubé (*BHD*) gene in sporadic colorectal carcinomas and colorectal carcinoma cell lines with microsatellite instability, 364
- Shin Y** see Kim I-J et al
- Shin Y-K** see Shin J-H et al
- Shohat M** see Basel-Vanagaite L et al
- Shotelersuk V** et al. Maternal 677CT/1298AC genotype of the *MTHFR* gene as a risk factor for cleft lip, e64
- Shurbaji A** see Mubaidin A et al
- Siciliano G** see Boito C et al
- Sieber OM** see Lipton L et al
- Siemens LM** see Andelfinger G et al
- Sigaudy S** see Kerr B et al
- Sigusch HH** see Surber R et al
- Silengo M** see Morgan NV et al
- Silva EO** see Leal GF et al
- Silva RLA** see Rocha JCC et al
- Simard G** see Jacquet H et al
- Simon P** see Weiss FU et al
- Simon-Bouy B** see Herasse M et al
- Simpson AJG** see Rocha JCC et al
- Singh SM** see McDonald P et al
- Sinkus A** see Baumstark A et al
- Siriwan P** see Shotelersuk V et al
- Sitorus R** et al. *CYP1B1* gene analysis in primary congenital glaucoma in Indonesian and European patients, e9
- Skerka C** see Neumann HPH et al
- Skjeldal O** see Gill H et al
- Skrypnik C** see Kohlhase J et al
- Slaghuis W** see Efron D et al
- Slater HR** et al. Rapid, high throughput prenatal detection of aneuploidy using a novel quantitative method (MLPA), 907
- Slingsby C** see Nandrot E et al
- Sly WS** see Borthwick KJ et al
- Smeets HJM** see Koppens PFJ et al
- Smiraglia DJ** et al. Differential targets of CpG island hypermethylation in primary and metastatic head and neck squamous cell carcinoma (HNSCC), 25
- Smith A** et al. Death in adults with Prader-Willi syndrome may be correlated with maternal uniparental disomy, e63
- Smith E** see Bovie C et al
- Smith K** see Kim B-E et al
- Smith LT** see Smiraglia DJ et al
- Smits A** see Willemsen R et al
- Smolej-Narancic N** see Rudan I et al
- Smolle J** see Petek E et al
- Smulders YM** et al. Large deletion causing the *TSC2-PKD1* contiguous gene syndrome without infantile polycystic disease, e17
- Sng J-H** et al. *BRCA1 c.2845insA* is a recurring mutation with a founder effect in Singapore Malay women with early onset breast/ovarian cancer, e117
- Snyder CL** see Watson P et al
- Soini Y** see Heikkilä K et al
- Solanellas J** see del Castillo FJ et al
see Alvarez A et al
- Solano A** et al. Characterisation of repeat and palindrome elements in patients harbouring single deletions of mitochondrial DNA, e86
- Somer M** see Höglund P et al
- Song J** see Narita I et al
- Song J** et al. Gender specific association of aldosterone synthase gene polymorphism with renal survival in patients with IgA nephropathy, 372
- Song Y-Q** see García-Barceló M-M et al
- Sonoda T** see Nagai T et al
- Souberbielle J-C** see de Leersnyder H et al
- Spaich C** see Barbi G et al
- Speicher MR** see Kraus J et al
see Meins M et al
- Spentchian M** see Herasse M et al
- Spinner NB** see Kamath BM et al
- Spisni C** see Morrone A et al
- Splitter M** see Wheway JM et al
- Spranger J** see Ballhausen D et al
- Stanbridge EJ** see Liao S-Y et al
- Stanier P** see Bentley L et al
- Stapleton GA** see Wilson HL et al
- Stapleton PM** see West PMH et al
- Starke H** see Nietzel A et al
- Starr A** see Varga R et al
- Steegers EAP** see Raijmakers MTM et al
- Steegers-Theunissen RPM** see Klootwijk R et al
- Steinbeck K** see Smith A et al
- Stephens K** see Messiaen L et al
- Stephenson JBP** see Crow YJ et al
- Sternenburg E** see White SJ et al
- Stevenson RE** see de Mollerat XJ et al
- Steyaert J** see Castermans D et al
- Stoffel EM** et al. Cancer surveillance is often inadequate in people at high risk for colorectal cancer, e54
- Stoll C** see Wilcken B et al
- Stouthard MEA** see van Maare MC et al
- Straatman H** see Klootwijk R et al
- Stratakis CA** see Matyakhina L et al
- Straussberg R** see Basel-Vanagaite L et al
- Strisciuglio P** see Bonapace G et al
- Struewing JP** see Giusti RM et al

- Stuppia L et al.** SHOX mutations detected by FISH and direct sequencing in patients with short stature, e11
- Sugano K** see Sumitsuji I et al
- Sugimoto T** see Nagai T et al
- Suh Y** see Bounpheng M et al
- Sumitsuji I et al.** Frequent genomic disorganisation of MLH1 in hereditary non-polyposis colorectal cancer (HNPCC) screened by RT-PCR on puromycin treated samples, e30
- Sun HS** see Lin YM et al
- Superti-Furga A** see Ballhausen D et al
- Superti-Furga A** see Jakkula E et al
- Surber R et al.** Haemochromatosis (HFE) gene C282Y mutation and the risk of coronary artery disease and myocardial infarction: a study in 1279 patients undergoing coronary angiography, e58
- Susic M** see Ridanpää M et al
- Sutton VR** see Coveler KJ et al
- Suzuki OT** see Moreira ES et al
- Swaroop A** see Iannaccone A et al
- Sweeney E et al.** Nail patella syndrome: a review of the phenotype aided by developmental biology, 153
- Swift JA** see Zannoli R et al
- Swinnen L** see Castermans D et al
- Swinton CH** see Lemon WJ et al
- Syngal S** see Stoffel EM et al
- Syrjäkoski K** see Ikonen T et al
- Taal BG** see Bleiker EMA et al
- Tachdjian G** see Aboura A et al
- Tadini G** see Brancati F et al
- Taillardier A** see Herasse M et al
- Talebizadeh Z** see Bittel DC et al
- Talim B** see de Bernabé D'Beltrán-Valero et al
- Tammela TLJ** see Ikonen T et al
- Tamura M** see Kudo S et al
- Tandoi C** see Sarkozy A et al
- Tandy A** see Gill H et al
- Tapia MC** see del Castillo FJ et al
- Tapper-Persson M** see Frisén L et al
- Tassabehji M** see Karmiloff-Smith A et al
- Tatagiba M** see Klwe L et al
- Taylor GR** see Akrami SM et al
- Taylor R** see Mogensen J et al
- Taylor RW et al.** Frequency of rare mitochondrial DNA mutations in patients with suspected Leber's hereditary optic neuropathy, e85
- Taylor SAM** see Ozcelik H et al
- Taymans SE** see Matyakhina L et al
- te Morsche RHM** see Raijmakers MTM et al
- Teh BT** see Howell VM et al
see Kahnosi K et al
- Tejedor D** see Cenarro A et al
- Tellería D** see Cebrián A et al
- Temple IK** see Zweier C et al
- Tencconi R** see Wilcken B et al
- Terhal P** see Ballhausen D et al
- Terrosi Vagnoli P** see Zannoli R et al
- Thaker U** see Lambert J-C et al
- Thibodeau SN** see Lehtonen R et al
- Thiffault I** see Kotar K et al
- Thoelen R** see Vermeesch JR et al
- Thomas G** see Parc Y et al
- Thomas HJW** see Lipton L et al
- Thomas MG** see Quintana-Murci L et al
- Thompson EM** see Gill H et al
- Till M** see Jbour A-K et al
- Tillman D** see Capon F et al
- Tinley ST** see Watson P et al
- Tinschert S** see Kehler-Sawatzki H et al
- Tischkowitz MD, Hodgson SV** Fanconi anaemia, 1
- Toal IK** see Capon F et al
- Todd JA** see Wozniak MA et al
- Todorova A et al.** A synonymous codon change in the LMNA gene alters mRNA splicing and causes limb girdle muscular dystrophy type 1B, e115
- Toffolatti L** see Gualandi F et al
- Tolun A** see Ninis VN et al
- Toman J** see Vytopil M et al
- Tomlinson I** see Lampe AK et al
- Tomlinson IPM** see Lipton L et al
- Tomsho LP** see Chen H et al
- Toniolo D** see Vytopil M et al
- Topaloglu H** see de Bernabé D'Beltrán-Valero et al
- Topaloglu R** see Borthwick KJ et al
- Topol EJ** see McCarthy JJ et al
- Trabanelli C** see Gualandi F et al
- Trappe R** see Meins M et al
- Trembath RC** see Capon F et al
see Harrison RE et al
see Morgan NV et al
- Trujillo MJ** see Bernal S et al
- Trump D** see Bovie C et al
- Tse W-Y** see Wilson HL et al
- Tsukahara M** see Nagai T et al
- Tucker K** see Lobb EA et al
- Tuinier S** see Verhoeven WMA et al
- Tukamoto K** see Park H-J et al
- Tumini S** see Stuppia L et al
- Turk J** Melatonin supplementation for severe and intractable sleep disturbance in young people with genetically determined developmental disabilities: short review and commentary, 793
- Turnbull DM** see Man PYW et al
see Taylor RW et al
- Turnbull J** see Chan EM et al
- Turner H et al.** Developmental delay and the methyl binding genes, e13
- Turnpenny PD et al.** Novel mutations in DLL3, a somitogenesis gene encoding a ligand for the Notch signalling pathway, cause a consistent pattern of abnormal vertebral segmentation in spondylocostal dysostosis, 333
- Tyler-Smith C** see Paracchini S et al
- Tynnismaa H** see Jalkanen R et al
- Uetake K** see Nagai T et al
- Uldall P** see Ravn K et al
- Umasunthar T** see Berg J et al
- Unger SL** see Ballhausen D et al
- Upadhyaya M** see Castle B et al
- Uribe E** see Martinez-Mir A et al
- Usami S-I** see Park H-J et al
- Uygur C** see Hart TC et al
- Vainzof M** see Moreira ES et al
- Valente EM** see Brancati F et al
- Vallat JM** see de Sandre-Giovannoli A et al
- Vallee L** see Luciani JJ et al
- Valve-Dietz A-K** see Mononen T et al
- Van Acker P** see Coucke PJ et al
- van Asperen CJ** see Jonker MA et al
- van Assche FA** see Witters I et al
- van de Ven W** see Castermans D et al
- van den Born LI** see Yzer S et al
- van den Helm B** see Yzer S et al
- van Diggelen OP** see Mancini GMS et al
- van Esch H** see Bienvenu T et al
- van Genderen MM** see Yzer S et al
- van Houwelingen JC** see Jacobi CE et al
see Jonker MA et al
- van Langen IM et al.** The use of genotype-phenotype correlations in mutation analysis for the long QT syndrome, 141
- van Maarel MC et al.** Quality of life in a family based genetic cascade screening programme for familial hypercholesterolaemia: a longitudinal study among participants, e3
- van Noort G** see Oosterwijk JC et al
- van Ommeren G-JB** see White SJ et al
- van Orsouw N** see Bounpheng M et al
- van Ravenswaaij-Arts C** see de Vries BBA et al
- van Wijk E et al.** A mutation in the gamma actin 1 (ACTG1) gene causes autosomal dominant hearing loss (DFNA20/26), 879
- Vandenbroucke I** see Messiaen L et al
- Vanderveer L** see Prowse AH et al
- Vantyghem M-C** see Bauters C et al
- Varga R et al.** Non-syndromic recessive auditory neuropathy is the result of mutations in the otoferlin (OTOF) gene, 45
- Varley JM** see Warren C et al
- Vasen HFA** see Bleiker EMA et al
- Vecchi M** see Annese V et al

- Vekemans M** see Cormier-Daire V et al
see Rio M et al
- Vellodi A** see Beesley CE et al
- Veltman MWM** see Maggouta F et al
- Ventura A** see Boniotto M et al
- Verhoeft S** see Smulders YM et al
- Verhoeven WMA** et al. Prader-Willi syndrome: the psychopathological phenotype in uniparental disomy, e112
- Verloes A** see Burglen L et al
- Vermeesch JR** et al. Mosaicism del(8p)/inv dup(8p) in a dysmorphic female infant: a mosaic formed by a meiotic error at the 8p *OR* gene and an independent terminal deletion event, e93
- Vieira AR** see Jezewski PA et al
- Viig J** see Boupheng M et al
- Villamar M** see del Castillo FJ et al
see Álvarez A et al
- Villard E** see Sébillon P et al
- Villard L** see Philip N et al
- Vincent-Delorme C** see Chol M et al
- Vincitorio CM** see Puoti G et al
- Visser R** see Kamimura J et al
- Vladutiu GD** see Wong L-JC et al
- Voelkel MA** see Kerr B et al
- Vogel H** see Wong L-JC et al
- Vogels A** et al. Chromosome 15 maternal uniparental disomy and psychosis in Prader-Willi syndrome, 72
- Vohanka S** see Vytopil M et al
- Vollset SE** see Wilcken B et al
- Volterrani L** see Zannoli R et al
- Vossen JMJJ** see Kuijpers TW et al
- Voutilainen A** see Kaminen N et al
- Vrablik M** et al. Ser19→Trp polymorphism within the apolipoprotein AV gene in hypertriglyceridaemic people, e105
- Vytopil M** et al. Mutation analysis of the lamin A/C gene (*LMNA*) among patients with different cardiomyopathic phenotypes, e132
- Wagner A** see Watson P et al
- Wagner K** see Petek E et al
- Walker J** see Ragge NK et al
- Wallace A** see Warren C et al
- Wallace AJ** see Baser ME et al
see Moyhuddin A et al
- Wallerstein R** see Herasse M et al
- Walter MC** see Todorova A et al
- Wang M** see Lemon WJ et al
- Wang Q** see Fan C et al
- Wang XF** see Iannaccone A et al
- Wang Y** see Lemon WJ et al
- Wank R** see Laumbacher B et al
- Warburton S** see Turner H et al
- Ward LM** see Ridenpää M et al
- Warren C** et al. Identification of recurrent regions of chromosome loss and gain in vestibular schwannomas using comparative genomic hybridisation, 802
- Watemberg N** see Ben-Zeev B et al
- Waterham HR** see Oosterwijk JC et al
- Watson C** see Moyhuddin A et al
- Watson P** et al. Carrier risk status changes resulting from mutation testing in hereditary non-polyposis colorectal cancer and hereditary breast-ovarian cancer, 591
- Weale ME** see Quintana-Murci L et al
- Webb T** see Turner H et al
- Weber A** see Jezewski PA et al
- Weber BL** see Martin A-M et al
- Webster AR** see Zito I et al
- Weerasekera N** see Müllenbach R et al
- Weiss DG** see Papp T et al
- Weiss FU** et al. *SPINK1* mutations and phenotypic expression in patients with pancreatitis associated with trypsinogen mutations, e40
- Wemeau J-L** see Bauters C et al
- Weschke B** see Zweier C et al
- Wessels MW** see Coucke PJ et al
- West PMH** et al. Paternal uniparental disomy in monozygotic twins discordant for hemihypertrophy, 223
- Wever LDV** see Bleiker EMA et al
- Whatley S** see Gill H et al
- Wheless JW** see Leeftlang EP et al
- Wheway JM** et al. A complex deletion-inversion-deletion event results in a chimeric *IL1RAPL1*-dystrophin transcript and a contiguous gene deletion syndrome, 127
- White SJ** et al. An alternative to FISH: detecting deletion and duplication carriers within 24 hours, e113
- Whittaker J** see Baralle M et al
- Whittock N** see Offiah AC et al
see Turnpenny PD et al
- Widmer U** see Neumann HPH et al
- Wilcken B** et al. Geographical and ethnic variation of the 677C>T allele of 5,10 methylenetetrahydrofolate reductase (*MTHFR*): findings from over 7000 newborns from 16 areas world wide, 619
- Wilcox ER** see Naz S et al
see Park H-J et al
- Wilcox S** see de Silva MG et al
- Wilde AAM** see van Langen IM et al
- Willemen JJHT** see Klootwijk R et al
- Willems PJ** see Coucke PJ et al
- Willemsen R** see de Vries BBA et al
- Willemsen R** et al. Predictive testing for cognitive functioning in female carriers of the fragile X syndrome using hair root analysis, 377
- Williamson C** see Müllenbach R et al
- Williamson R** see de Silva MG et al
- Williamson S** see Leonard H et al
- Willmott JP** see Ness SL et al
- Willoughby CE** et al. A novel *GJA8* mutation in an Iranian family with progressive autosomal dominant congenital nuclear cataract, e124
- Wilquet V** see Castermans D et al
- Wilson DI** see Brickwood S et al
- Wilson HL** et al. Molecular characterisation of the 22q13 deletion syndrome supports the role of haploinsufficiency of *SHANK3/PROSAP2* in the major neurological symptoms, 575
- Wilson M** see Amir E et al
- Wilson MJ** see Mowat DR et al
- Wiltshire S** see Müllenbach R et al
- Winchester BG** see Beesley CE et al
- Windpassinger C** see Petek E et al
- Winqvist R** see Heikkilä K et al
- Winship IM** see West PMH et al
- Winter R** see de Vries BBA et al
- Winterpacht A** see Heller R et al
- Wirbelauer J** see Kohlhase J et al
- Wirtz A** see Kraus J et al
- Wirtz MK** see Faivre L et al
- Witt H** see Weiss FU et al
- Witters I** et al. Early onset asymmetrical intrauterine growth retardation with fetal hypokinesia and variable expression of acral and genitourinary malformations: a new lethal MCA syndrome, e1
- Wolf MTF** see Ruf RG et al
- Wollmann HA** see Meyer E et al
- Wong ACC** see Wilson HL et al
- Wong JEL** see Sng J-H et al
- Wong L-JC** see Dai P and Wong L-JC
- Wong L-JC** et al. Compensatory amplification of mtDNA in a patient with a novel deletion/duplication and high mutant load, e125
- Woodford-Richens K** see Lampe AK et al
see Lipton L et al
- Woods CG** see Crow YJ et al
see Leal GF et al
see Mubaidin A et al
- Wouters CH** see Smulders YM et al
- Wozniak MA** et al. Does apolipoprotein E polymorphism influence susceptibility to malaria?, 348
- Wright A** see Rudan I et al
- Wright KN** see Andelfinger G et al
- Wu M** see Klootwijk R et al
- Wu Y-Q** see Chen H et al
- Wylie AA** see Dietz LG et al
- Xiong D-H** see Long J-R et al
- Xu F-H** see Liu Y-Z et al
- Yamaguchi K** see Sumitsuji I et al
- Yamashita Y** see Leonard H et al
- Yamaya M** et al. Relationship between microsatellite polymorphism in the haem oxygenase-1 gene promoter and longevity of the normal Japanese population, 146

- Yang HC** see Lin YM et al
Yang H-K see Kim I-J et al
Yang SH see Yoon H-J et al
Yang WJ et al. Evidence for linkage and association of the markers near the *LPL* gene with hypertension in Chinese families, **e57**
Yano S see Kohlhase J et al
Yao CL see Yang WJ et al
Yasaki E see Richard P et al
Yates R see Becker K and Yates R
Yau SC see Whewlay JM et al
Yazici H see Ozcelik H et al
Ye S see Masud S et al
Yip AG et al. Meta-analysis of age at onset in spastin-associated hereditary spastic paraparesis provides no evidence for a correlation with mutational class, **e106**
Yntema HG see Bienvenu T et al
Yokoyama R see Sumitsuji I et al
Yokoyama T see Nagai T et al
Yong PJ et al. Clinical aspects, prenatal diagnosis, and pathogenesis of trisomy 16 mosaicism, **175**
Yoon H-J et al. Association of the *CD14* gene -159C polymorphism with progression of IgA nephropathy, **104**
Yordam N see Borthwick KJ et al
Yoshida T see Sumitsuji I et al
Yoshiura K see Kamimura J et al
You M see Bonner AE et al
 see Lemon WJ et al
Young EP see Beesley CE et al
Young K see Evans DGR et al
Young MA see Lobb EA et al
Yuksel-Apak M see Mancini GMS et al
Yung S-K see Garcia-Barceló M-M et al
Yzer S et al. A Tyr368His *RPE65* founder mutation is associated with variable expression and progression of early onset retinal dystrophy in 10 families of a genetically isolated population, **709**
- Zabel B** see Ballhausen D et al
Zackai E see Zweier C et al
Zahar D see Sng J-H et al
Zammarchi E see Morrone A et al
Zannoli R et al. Hereditary xanthinuria type II associated with mental delay, autism, cortical renal cysts, nephrocalcinosis, osteopenia, and hair and teeth defects, **e121**
Zappella M see Zannoli R et al
Zatz M see Moreira ES et al
Zeinali S see Willoughby CE et al
Zeviani M see Man PYW et al
 see Puoti G et al
Zhang S see Monteiro ANA et al
Zhao L-J see Liu Y-Z et al
Zhong H see Serajee FJ et al
Zhong H et al. No association between the *EN2* gene and autistic disorder, **e4**
Zhou X-P see Delatycki MB et al
Zhou X-P see Merks JHM et al
Zhu H see Wilcken B et al
Zimmer KP see Weiss FU et al
Zimmermann R see Papp T et al
Zipfel PF see Neumann HPH et al
Zito I et al. *RPGR* mutation associated with retinitis pigmentosa, impaired hearing, and sinorespiratory infections, **609**
Zlotogorski A see Martinez-Mir A et al
Zoll B see Meins M et al
Zuffardi O see Bonaglia MC et al
Zuhlke KA see Chen H et al
Zweier C et al. Characterisation of deletions of the *ZFHX1B* region and genotype-phenotype analysis in Mowat-Wilson syndrome, **601**