

Contents

Review

- 361** The genetics of panic disorder *J Schumacher, A S Kristensen, J R Wendland, M M Nöthen, O Mors, F J McMahon*

New loci

- 369** Hearing function and thresholds: a genome-wide association study in European isolated populations identifies new loci and pathways *G Grotto, N Pirastu, R Sorice, G Biino, H Campbell, A P d'Adamo, N D Hastie, T Nutile, O Polasek, L Portas, I Rudan, S Ulivi, T Zemunik, A F Wright, M Ciullo, C Hayward, M Pirastu, P Gasparini*

- 375** Manitoba-oculo-tricho-anal (MOTA) syndrome is caused by mutations in *FREM1* *A M Slavotinek, S E Baranzini, D Schanze, C Labelle-Dumais, K M Short, R Chao, M Yahyavi, E K Bijlsma, C Chu, S Musone, A Wheatley, P-Y Kwok, S Marles, J-P Fryns, A M Maga, M G Hassan, D B Gould, L Madireddy, C Li, T C Cox, I Smyth, A E Chudley, M Zenker*

- 383** Multiple congenital anomalies-hypotonia-seizures syndrome is caused by a mutation in *PIGN* *G Maydan, I Noyman, A Har-Zahav, Z Ben Neria, M Pasmanik-Chor, A Yeheskel, A Albin-Kaplanski, I Maya, N Magal, E Birk, A J Simon, A Halevy, G Rechavi, M Shohat, R Straussberg, L Basel-Vanagaite*

- 390** *C14ORF179* encoding IFT43 is mutated in Sensenbrenner syndrome *H H Arts, E M H F Bongers, D A Mans, S E C van Beersum, M M Oud, E Bolat, L Spruijt, E A M Cornelissen, J H M Schuurs-Hoeijmakers, N de Leeuw, V Cormier-Daire, H G Brunner, N V A M Knoers, R Roepman*

Phenotypes

- 396** The core *FOXP1* syndrome phenotype consists of postnatal microcephaly, severe mental retardation, absent language, dyskinesia, and corpus callosum hypogenesis *F Kortüm, S Das, M Flindt, D J Morris-Rosendahl, I Stefanova, A Goldstein, D Horn, E Klopocki, G Kluger, P Martin, A Rauch, A Roumer, S Saitta, L E Walsh, D Wiczorek, G Uyanik, K Kutsche, W B Dobyns*
- 407** Spinocerebellar ataxia type 15: diagnostic assessment, frequency, and phenotypic features *M Synofzik, C Beetz, C Bauer, M Bonin, E Sanchez-Ferrero, T Schmitz-Hübisch, U Wüllner, T Nägele, O Riess, L Schöls, P Bauer*
- 413** *FOXN1* mutation abrogates prenatal T-cell development in humans *I Vigliano, M Gorrese, A Fusco, L Vitiello, S Amorosi, L Panico, M V Ursini, G Calcagno, L Racioppi, L Del Vecchio, C Pignata*

Screening

- 417** Molecular screening of *ADAMTSL2* gene in 33 patients reveals the genetic heterogeneity of geleophysic dysplasia *S Allali, C Le Goff, I Pressac-Diebold, G Pfennig, C Mahaut, N Dagoneau, Y Alanay, A F Brady, Y J Crow, K Devriendt, V Drouin-Garraud, E Flori, D Geneviève, R C Hennekam, J Hurst, D Krakow, M Le Merrer, K D Lichtenbelt, S A Lynch, S Lyonnet, K MacDermot, S Mansour, A Megarbané, H G Santos, M Splitt, A Superti-Furga, S Unger, D Williams, A Munnich, V Cormier-Daire*
- 422** Screening patients referred to a metabolic clinic for lysosomal storage disorders *M Fuller, J N Tucker, D L Lang, C J Dean, M J Fietz, P J Meikle, J J Hopwood*

Genotype-phenotype correlations

- 426** Sweating ability and genotype in individuals with X-linked hypohidrotic ectodermal dysplasia *H Schneider, J Hammersen, S Preisler-Adams, K Huttner, W Rascher, A Bohring*

Miscellaneous

- 421** Correction



Cover credit: Pathways of hearing function, from Grotto *et al.*, see page 369.



EDITOR'S CHOICE

This article has been chosen by the Editor to be of special interest or importance and is freely available online.



Articles carrying the Unlocked Logo are freely available online under the BMJ Journals unlocked scheme.

See <http://jmg.bmj.com/info/unlocked.dtl>



COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk



equator network



recycle
When you have finished with this please recycle it