


## Supplementary information

### Supplementary tables


Total valid responses= 36	Reflex testing i.e. all cases	At request of treating team	At request of treating team OR if Lynch Syndrome suspected	If Lynch Syndrome suspected	No assessment for this tumour type	After MDT discussion	I'm not sure	Missing/not applicable
Colorectal	35	0	1	0	0	0	0	5
Endometrial	33	0	1	0	0	1	1	5
Urinary Tract	4	4	7	6	3	1	11	5
Sebaceous Neoplasia	6	3	3	6	3	1	14	5
Oesophageal	4	5	2	2	11	3	8	6
Gastric	5	5	5	5	3	13	0	5
Biliary Tract	1	5	8	6	3	2	11	5
Pancreatic	1	5	9	5	3	3	10	5
Brain	0	4	7	4	6	1	14	5

*Supplementary Table 1: Responses to pre-meeting survey question - "what are the indications for assessment of MMR in the following tumour types?" n=36 valid (non-blank) responses*


## Supplementary figures



Supplementary Figure 1: Responses to pre-meeting survey question "Which of the following tests are available in your institution"? n=37 valid responses



Supplementary Figure 2: Responses to pre-meeting survey question “what is the extent of investigation in a proband with MLH1/PMS2 deficient tumour where germline genetic testing is uninformative” (35 valid responses)?



Supplementary Figure 3: Responses to pre-meeting survey question “What bowel screening do you recommend for relatives of a proband with MLH1/PMS2 deficient tumour where germline genetic testing is uninformative”? (n=37 valid responses)